

DESCRIPTIVE CATALOGUE

Fruit and
Ornamental

TREES

Grape-Vines, Small Fruits
Shrubs, Plants, Etc.



Cultivated and for sale by

A. B. Hood & Co.

Virginia Nurseries

RICHMOND, VIRGINIA



A Few Words of Advice to Customers

PLEASE LET US HAVE YOUR ORDERS EARLY
WHETHER THROUGH THE MAILS OR THROUGH OUR AGENTS

Ordering Through Our Agents

These agents have been employed by us after careful inquiry into their characters, they having been recommended to us by prominent citizens in high standing, as trustworthy and reliable men. We respectfully urge all our customers to order through them if convenient, and in so doing they will save freight charges; for by taking a large number of orders for delivery at a certain point there is a great reduction in the freight, which we can afford to prepay. We endeavor to get a good agent in every county; though, if there be no agents canvassing in your neighborhood, you will, of course, be obliged to order direct from us through the mails.

In ordering through our agents, please see that the agent writes your name and place of delivery plainly at the top of the order, and also your post office, and the number of miles and the direction you live from the point of delivery. The signature at the bottom of order must be made only by the party ordering.

Ordering Through the Mails

Please state if we shall ship by express or freight. Be careful to write your name, shipping directions, and varieties plainly; whether you want standard or dwarf. If, however, the selection is left to us, we will select according to our best judgment and long experience, taking into consideration the best varieties suited to the section from which the order comes. Orders from persons who are unknown to us should be accompanied by cash or satisfactory references. We deliver the stock at the depots and express offices in Richmond in good order. We take a receipt for same, and our responsibility ceases there; we are not responsible for loss or damage to goods in transit.

Mistakes

In case of any mistake on our part, immediate notice should be given, so that it can be rectified or explained.



Descriptive Catalogue of
Fruit and Ornamental
TREES

Grape-Vines, Small Fruits, Shrubs, Plants, Etc.



CULTIVATED AND FOR SALE BY

A. B. HOOD & CO.

Virginia Nurseries

RICHMOND, VIRGINIA



Colorado Blue Spruce

(See page 52)

PREFACE



AFTER more than forty years' experience of our Mr. Hood in the nursery business, all of which time has been spent in this city, we take great pleasure in presenting this new edition of our Catalogue to our friends and patrons, hoping that they will accept our thanks for the generous aid and confidence they have bestowed upon us in the past; and it will be our aim in the future, by strict attention to business and honest dealing in all transactions, to merit a continuance of the same. We will spare no needful amount of cost and pains to grow the very best stock that can be grown, and shall recommend only such fruits as have proved to be good; and new fruits that have not been fully tested we will recommend to be planted in small lots, which will be a great means of disseminating them, and may be the cause of having many new fruits that will prove to do as well and be as popular all over the country as Early Harvest, Johnson's Fine Winter, Ben Davis and Winesap in Apples; Bartlett, Duchess and Kieffer in Pears; Elberta, Crawford's Early and Late, and Heath Cling in Peaches; Brighton, Concord and Martha in Grapes.

In the past twenty-five years there has been great improvement in growing first-class stock, and the people have been educated to know what are good trees. Those that we sent out twenty-five years ago for first-class would not be considered second-class now. For instance, twenty-five years ago we planted 23,760 apple grafts to one acre; for the last four years we have planted only 15,488 grafts to the acre. Then grafting was done on the piece-root system, making five to six grafts out of one seedling; now we use only one seedling for each graft, which we claim to be the true and only way it ought to be done; and with our motto to send out only the best stock, we do not make more than 40 or 50 per cent of trees that we can fill our orders with, and the others we destroy, digging out those that we know will not make good trees, giving those left a much better chance to make strong and healthy trees; and while we do not claim to sell cheaper trees than any other first-class nursery, we think they will compare favorably with them and are as cheap as we can grow the stock we offer. As to our reliability not to send out anything that is not true to name, we will refer to the many references we have received, the pleasure we take in growing good trees, and our long association with the business. While we employ only good men, and use every effort to satisfy our customers, mistakes will sometimes occur, which we are always willing to correct.

Our Nurseries are located one and one-half miles north of the city, on the Lake-side Car Line, and at Wickams, Hanover County, Va., between the C. & O. and R. F. & P. R. R. We employ throughout the year in the cultivation of our stock from fifty to seventy-five hands, and work thirty horses and mules.

We secured control for a number of years of one of the most desirable farms in Hanover county (twenty miles from Richmond); chocolate loam and gray soil; this farm is reputed to be one of the finest plantations within thirty miles of Richmond, and has not heretofore been planted in trees. The land has all the requirements for the propagation of the very finest nursery stock, and the major portion of our planting is being done there. Our Mr. Hood personally spent considerable time, making a minute examination of various farms in the vicinity, and failed in every instance to discover any trace whatsoever of injurious diseases to fruit trees, vines and shrubs. We consider ourselves especially fortunate in securing such admirably adapted land and can promise our patrons in future, as furnished in the past, nursery stock of the

Certificate of Inspection accompanies all shipments. Stock thoroughly fumigated before shipping

very highest quality, first-class in every particular and true to name. We shall continue to use, as we have always done, the very best stock to be had for propagating purposes.

Our facilities for growing, packing and shipping stock of all kinds known to first-class nurserymen cannot be excelled.

A. B. HOOD & CO., RICHMOND, VA.

REMARKS

To the planter or purchaser of nursery stock at least three things are indispensable: first, varieties true to name; second, healthy, vigorous, well-matured trees or plants, and third, careful and judicious packing, without which all may be lost.

We give the most careful scrutiny to the propagation of varieties, endeavoring by all methods known to us to protect ourselves from error and imposition, and rejecting anything of which we have reason to feel suspicious. By such careful and constant watching and attention we are warranted in offering our stock as pure and absolutely true to name.

Our soil being of a character best suited to produce the healthiest conditions of growth—that solid, firm texture of the wood, with abundant fibrous root, so necessary to successful transplanting—we are enabled to offer the products of our Nurseries with entire confidence to planters in all sections of the country.

We give to our packing and shipping careful personal supervision, and to still further protect our patrons, as well as ourselves, against loss in this direction, we employ the most skilled and competent hands to assist us.

By careful consideration of the wants of our trade and faithful attention to business, we hope to continue to merit and receive a share of the patronage of lovers and buyers of choice fruits and ornamentals.

GUARANTEE OF GENUINENESS

While we exercise the greatest diligence and care to have all our trees, etc., true to label, and hold ourselves in readiness, on proper proof, to replace all trees, etc., that may prove untrue to label free of charge, or to refund the amount paid, it is mutually understood and agreed to, between the purchaser and ourselves, that our guarantee of genuineness shall in no case make us liable for any sum greater than that originally received for said trees, etc., that shall prove untrue.

ADVICE TO PLANTERS

Select thrifty young trees in preference to old or very large ones; the roots are more tender and fibrous and they bear transplanting better and are far more apt to live; they can also be more easily trimmed and shaped to any desired form, and in the course of a few years will usually outstrip the older ones in growth.

SELECTION OF VARIETIES

Be careful to choose such as you know to be suited to your section; or, as we have suggested heretofore, leave the selection to us. It is fair to presume that with the experience of more than twenty years, giving all our time and talent to the subject, our information must be at least equal to that of the average planter. Varieties are almost innumerable, and many of them either worthless or of little value. Great injustice has been done by the compilation of long lists, which serve only to induce the orchardist to plant a large assortment, the greater number of which generally fail

to give satisfaction. A few good varieties, ripening in succession throughout the season, are far preferable for all purposes. What the planter particularly needs is a sufficient number of those varieties which have been tried and proved themselves worthy of cultivation.

It is our determination to propagate and recommend only such as we confidently believe to be of superior quality.

A few words as to quality of stock may not be inappropriate. Some are induced by low prices to plant second- or third-class trees, saying "your first-class stock costs more." Now, this is as it should be. It costs more simply because it is worth more,—worth more to the nurseryman, and worth tenfold more to the planter.

It is useless, yes absurd, to expect a nice, thrifty, productive tree from a poor, weakly, stunted scion. Men deal not so in the animal kingdom; the best of the flock is always the choice of the well-informed breeder.

Let us insist upon it that you plant nothing but strictly first-class trees, which will always cost first-class prices.

THE SOIL

A rich loam is the best for fruit, made sufficiently dry by artificial draining, if necessary; but all soils can be made available by judicious treatment.

PREPARATION FOR PLANTING

Plow and subsoil repeatedly, so as to thoroughly pulverize to a depth of 12 to 15 inches. When planting upon the lawn or grass plots, remove the sod for a diameter of 4 or 5 feet and keep this space well worked and free from weeds. Dig the hole deeper and larger than is necessary, to admit all the roots in their natural position, keeping the surface and subsoil separate. Cut off broken and bruised roots and shorten the tops to half a dozen good buds, except for fall planting, when it is better to defer top-pruning until the following spring, which should be done before the buds begin to push. If not prepared to plant when your stock arrives, "heel in," by digging a trench deep enough to admit all the roots, and setting the trees therein as thick as they can stand, carefully packing the earth about the roots, taking up when required. Never leave the roots exposed to the sun and air.

PREPARING THE ROOTS

Immediately before planting, all the bruised or wounded parts, where cut with the spade, should be pared off smoothly, to prevent decay and to enable them to heal over by granulations during the growth of the tree. Then dip them in a bed of mud, which will coat over every part evenly, and leave no portion in contact with the air which accidentally might not be reached by the earth in filling the hole. The use of water in settling the earth amongst the roots will be found eminently serviceable. Let there be a few quarts poured in while the hole is filling up. If the trees have been out of the ground for a long time, and become dry and shriveled, they should be immersed in water twenty-four hours before planting. Fruit trees sometimes remain with fresh and green branches, but with unswollen buds, till midsummer; instead of watering such at the roots, let the body and branches be wet every evening regularly, about sundown, with a watering-pot, and it will in nearly all cases bring them into active growth.

SHORTENING-IN THE BRANCHES

However carefully trees may be taken up, they will lose a portion of their roots, and if the whole top is allowed to remain the demand will be so great upon the roots that in many cases it will prove fatal to the tree. To obviate this, then, it becomes necessary to shorten-in the branches, which should be done at the time of planting, and in a manner to correspond with the loss of roots. If the tree has lost the greater

portion of its roots, a severe shortening-in of the branches will be necessary ; if only a small portion of the roots have been cut off, more moderate pruning will be sufficient. Particular attention to this matter will save many trees that otherwise would perish.

PLANTING

Fill up the hole with surface soil, so that the tree will stand as it did when in the nursery, after the earth is settled, except Dwarf Pears, which should be planted deep enough to cover the Quince stock upon which they are budded 2 or 3 inches. Work the soil thoroughly among the roots, and when well covered tramp firmly. Set the tree firm as a post, but leave the surface filling (of poorer soil) light and loose. No staking will be required except with very tall trees. Never let manure come in contact with the roots.

MULCHING

The value of mulching cannot be overestimated. It increases the fertility of the soil, protects the tree alike from drought and frost, and adds materially to the growth and vigor of young orchards. The trifling cost of material and labor, and the immense benefits derived, commend it to every one. Pine tags, straw, leaves, coarse manure, shavings or tan bark may be used. Some of these may be procured by every one.

Remove the mulching from the stem of the tree during the winter, otherwise mice may harbor there and injure it.

We also advise removing the mulch several times during the growing season and loosening up the soil about the trees.

CULTIVATING

When the transplanting is finished many persons are under the impression that their work is done, and they can do nothing more for the tree ; but this is a very mistaken idea. It is an important matter to have them well planted, but doubly important to have them well cultivated afterwards. Enveloped in weeds and grass, what plant can flourish? What farmer, for an instant, would think of raising a crop of Indian corn in the thick and tall grass of a meadow? Such an idea, he would at once say, would be preposterous. We will say that it is not more impossible than the idea of raising a thrifty orchard under the same treatment. It is indispensably necessary that the ground should be well cultivated to obtain fine fruit. From the neglect of this arises so much of the dissatisfaction of tree planters. Give to your trees for a few years a clean, mellow and fertile soil, and they will bend under copious loads of fine fruit, and yield to the cultivator his reward. The experiment only is enough to convince any one of the advantage of good culture. Dwarf Pears, more than any other tree, require a deep, rich soil and clean cultivation. In cultivating, great care should be taken not to injure the trees by rubbing the bark off, which will often happen if careless hands (or those that are not) use long single-trees. We use a singletree 10 inches, and always wrap the end and trace next to the row, and seldom bark a tree. The best tools are one-horse turn-plow (which every farmer or fruit-grower should have) and cultivator. We try to cultivate our nursery after every rain from April to October. The best crops for an orchard are those requiring summer culture—such as potatoes, beans, etc. Winter crops are little better than no culture. Rye is decidedly injurious.

PRUNING

We recommend the greatest care and moderation in this operation, believing, as we do, that upon the whole there is more injury done by the use of pruning instruments in unskilful hands than would result from its entire neglect. Some of the objects sought are to diminish the thick growth, to increase the vigor of the branches,

to admit light and air, and to form a well-shaped top. We are opposed to the too common practice of trimming trees as high as a man's head, leaving a long, naked stem exposed to the ravages of insects and the deleterious effects of sun and wind, as well as other sudden and extreme changes of the atmosphere. If a tree be allowed to branch near the ground, its danger from these ills will be lessened, and it will grow much stronger and faster, bear more fruit, which will be more easily gathered, less liable to be blown down, and, we may add, every way better. If watched closely when young and growing, it will never become necessary to take off large limbs. Occasional pinching or cropping off of the ends of a branch to give the tree proper shape, and removing those that cross or crowd each other, will be all that will be needed by most trees. Peach trees would be greatly benefited by an annual shortening-in of the branches, say one-half of the previous year's growth; this may be done at any time after the fall of the leaf until the buds commence swelling in the spring; they never need any thinning-out of the branches. Dwarf Pears also need careful attention annually, to keep them in shape, by cutting back the rampant and straggling shoots; they should be pruned down instead of up, never allowing them to grow high; or the top will become too heavy for the roots, and increase the danger of blowing down.

HOW TO WINTER TREES PROCURED IN THE FALL

The practice of procuring supplies of trees in the fall is becoming more and more general as each season demonstrates its wisdom. It is a more favorable time than spring, because of the colder weather, and the lighter pressure of business with nurserymen, the freighting companies, and the planter. Even when fall planting is not desirable, by reason of severity of the climate, the stock may be procured in the fall, and thus be on hand ready for the opportune moment in the spring. To insure success, you have only to get the trees before freezing weather and bury them in the following manner: Choose a dry spot where no water will stand during the winter, with no grass near it to invite mice. Dig a trench, throwing out enough dirt to admit one layer of roots below the surface, and place the trees in it, inclined to an angle of forty-five degrees or more. Widen the trench, throwing the soil among the roots in position; place another layer in the trench, reclining the tops on the others, and so on until all are in the trench; then finish by throwing up more soil until the tops of the trees are nearly or quite covered. It is also well to bank up the earth around the sides to insure more thorough protection. The exposed tops should then be covered with pine boughs, which insures them against any possibility of injury. Care should be taken to fill solid all the interstices among the roots. In the spring the roots will be found to have formed the granulation necessary to the production of new spongioles and when planted at the proper time will start to immediate growth.

TREATMENT OF TREES COMING TO HAND OUT OF SEASON

It sometimes happens that trees are received in a frosted state; but if they are properly managed they will not be injured by it. Let the package be put, unopened, in a cellar, or some such place—cool, but free from frost—until it is perfectly thawed, when it can be unpacked, and either planted or placed in a trench until convenient to plant. Trees received in the fall for spring planting should at once be unpacked, and a trench dug in a rather dry, sheltering position, when the roots should be well covered. So treated, they will be preserved without the least injury until spring. If they should come to hand late in the spring, and appear much dried, plunge the bundle into a pool of water, there to remain for twenty-four hours, or more, if very much wilted, after which it should be unpacked, and the roots and half the stems should be buried in soil made quite wet by watering; there let them remain until the bark expands to its natural fullness, when they may be taken up and planted as before directed, and we will guarantee you a good reward for your labor.

PLANT YOUNG TREES

We cannot too strongly recommend to our customers the procuring of young trees, especially for orchard planting, instead of selecting the largest that can be had, to secure a more immediate effect. They can be taken up with more perfect roots, and will become sooner established in a new location. They can also be more readily trained to any desired shape. The largest and most successful planters invariably select young, thrifty trees, as the surest in the end to give thorough satisfaction.

For small grounds, or street planting, when it is necessary to make a show as soon as possible, large trees are often desirable, and when handled with care should not fail to do well; but with the general planter the average of loss will be much less, and both time and money will be saved if young trees are selected to commence with.

THE GROWTH OF TREES

As many persons are unacquainted with the varied growth of the different varieties of fruit trees, and are dissatisfied with the difference in appearance of their trees, we will briefly give a few examples, thereby hoping to avoid a most unpleasant difficulty sometimes taking place between the inexperienced purchaser and the nurseryman. For instance: were a customer to order a lot of apple trees, naming amongst them American Summer Pearmain, Tetofsky, Albemarle Pippin, etc., he would get some of the finest varieties under culture, but the trees would be small; consequently, the nurseryman must suffer a severe lecture, and, next, his neighbors would be advised not to patronize that man, for his trees are too small. Should he order a lot of Summer Sweet Paradise, Summer Queen, Smokehouse, Winesap and Roxbury Russet, he would get large, rapid-growing trees and choice fruit, but so crooked and twisted as again to displease the purchaser. But should he send for Bullock Pippin, Baltzley, Paradise, Baldwin, Horse, Yates, Dominic, etc., he would receive large, well-formed trees which would please his eye and no doubt cause him to advise his neighbors to purchase there, yet some of the fruit would be quite inferior to the other lists.


DISTANCES FOR PLANTING

Standard apples	30 feet apart each way
Standard pears and strong-growing cherries	20 " " "
Duke and Morello cherries	18 " " "
Standard plums, apricots, peaches, nectarines	16 to 18 " " "
Dwarf pears	10 to 12 " " "
Dwarf apples	10 to 12 " " "
Grapes, rows 8 to 16 feet apart	8 to 16 feet in rows
Currants and gooseberries	3 to 4 feet apart
Raspberries and blackberries	3 to 4 feet by 5 to 7 feet apart
Strawberries, for field culture	1½ to 3½ feet by 3 to 4 feet apart
Strawberries, for garden culture	1 to 2 feet apart

NUMBER OF TREES ON AN ACRE

30 feet apart each way	50	10 feet apart each way	435
25 " " "	70	8 " " "	680
20 " " "	110	6 " " "	1,210
18 " " "	135	5 " " "	1,745
15 " " "	205	4 " " "	2,725
12 " " "	300	3 " " "	4,840

RULE.—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill; which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.



Fruit Department

Since our last Catalogue was issued we have taken several varieties from our lists as not proving worthy of cultivation, and others we have taken from our descriptive list, as we consider that it was too large; but we shall still continue to grow them in limited numbers, and if any of these varieties do well in any particular locality we shall be able to furnish them, but advise to confine your list to the descriptive kinds.

Select Apples

The first fruit, both in importance and general culture, is the Apple. Its period, unlike that of other fruits, extends nearly or quite through the year. By planting judicious selections of summer, autumn and winter sorts, a constant succession can be easily obtained of this indispensable fruit for family use.

As fruit has become cheaper on account of the increased supply, a large and constantly increasing European demand has sprung up, which affords highly remunerative prices for the best selected specimens of our orchards, while the new process of evaporation of fruit has become a recognized auxiliary to the horticulture of the land. With the immense consumption by this process of evaporation, it may be doubted if Apple orcharding will ever, in any season, be less than highly remunerative. All the surplus of orchards, all "windfalls" and defective specimens, can at once be gathered and sold at a fair price to the evaporating establishments, which now exist in almost every town in all fruit-growing sections.

SUMMER VARIETIES

American Summer. (American Summer Pearmain.) Medium size, oblong, nearly covered with streaks and dots of red; flesh tender, juicy, with rich subacid flavor; fine. Tree a slow grower, but bears early and abundantly. Continues in use for several weeks. Last of July and Aug.

Benoni. Medium size, round, deep red; flesh yellow, tender, subacid. An excellent Apple. July.

Bough. (Sweet Bough.) Large, roundish, sometimes conical; pale yellow; flesh white, very tender, with an excellent, sweet flavor. Tree moderately vigorous and very productive. July.

"I was handed a letter by your agent here requesting a recommendation for your stock, which I can cheerfully give. Being a fruit-grower on a large scale, I buy trees from several other nurseries, and I find your trees to be by far the best ever sold in this state by any nursery."—F. F. MARTIN Walcott, Ark., Aug. 8, 1907.



Gravenstein.

SUMMER APPLES. continued

Carolina June. (Carolina Red June.) An early bearer and very productive. Fruit medium size, dark crimson; flesh white, very tender, fine-grained, juicy, subacid. June and July.

Early Colton. One of the best early Apples, ripening with the old Early May, some ten days before Early Harvest, and continues to ripen for two or three weeks, which makes it a valuable family Apple. It is of beautiful appearance, medium size, yellowish white, with a tint of crimson where exposed to the sun.

Early Harvest. Rather large, round, yellow; flesh nearly white, tender, juicy, crisp, with a rich, sprightly, subacid flavor. Tree a moderate grower and very productive. It has no superior among early Apples. June and July.

Early Red. Very valuable Pennsylvania Apple, which we have thoroughly tested here. Fine size, beautiful showy red color. An immense and sure bearer; ripens through a long period of time. A first-rate shipper and good seller in the market; ought to be in every orchard. Ripens from middle to last of July.

Early Ripe. This fine Apple, coming as it does immediately after the Early Harvest, fills a want long felt by the orchardist. Its large size, handsome appearance and good bearing qualities combine to make it the most profitable market variety of its season. The tree is hardy and of vigorous growth. Fruit large, yellowish white; flesh white, juicy, subacid; fine for the table or cooking. First of July.

Fanny. Medium to slightly above, covered with two shades of red; handsome. Tree a fine, upright, strong grower and good bearer. A week or ten days later than Early Ripe; fine quality. A profitable variety.

Fourth of July. Valuable for cooking and market. Fruit medium, roundish, oblate-conical, slightly ribbed; whitish yellow, striped and splashed with bright red. It has been thoroughly tested, and found to be one of the very best early Apples. Matures early in July.

Gravenstein. Large, roundish, striped with red; flesh tender, juicy, very rich, with subacid, high flavor. Productive, handsome and excellent; fine in all localities. August.

Golden Sweeting. Rather large, rich yellow; flesh juicy, tender, sweet. One of the best sweet Apples; very popular variety. August.

Horse. Large, yellow; flesh coarse, subacid. Tree vigorous. Fine for cooking and for market; very popular South. August.

Jonathan of Eastern, N. C. Large, white; subacid. Very popular. September.

Maiden's Blush. Rather large, oblate, smooth, regular, with a fine, evenly shaded red cheek or blush, on a clear pale yellow ground; flesh white, tender, sprightly, with a pleasant subacid flavor. This variety forms a handsome, rapid-growing tree, with a fine spreading head, and bears large crops. August to October.

"I consider your trees far superior to those bought of any other nursery. Their growth is rapid and their early-bearing qualities remarkable. All my orders for trees shall certainly be placed in the hands of your agent, Capt. J. S. Coates, of whom I obtained my present assortment."—EDGAR L. WALDROPE, Raleigh, Va., July 29, 1907.

SUMMER APPLES, continued

Oldenburg. A Russian variety of very handsome appearance and great value. Tree very hardy, vigorous, and an abundant bearer. Fruit medium to large, golden yellow, nearly covered with streaks of a crimson; flesh tender, juicy, pleasant. A valuable variety for the market. August.

Red Astrachan. Rather large, approaching conical, covered with deep crimson, overspread with a thick bloom; flesh juicy, rich, acid. From its earliness, handsome appearance, and the vigor of the tree and its excellent culinary qualities, it is worthy of general cultivation. July.

Red Bietigheimer. A very large and beautiful Apple of German origin. Cream-colored, shaded with light red to purple-crimson; flesh white, firm, subacid, with a brisk, pleasant flavor. Tree a strong grower, with large, luxuriant foliage. One of the largest and handsomest of all Apples, and succeeds everywhere. August and September.

South Carolina Summer. A seedling of Buff. Size medium to large, color bright red; flesh white, firm and crisp, very juicy, rich. The Apple is high-colored and as bright as if varnished, and we know of no other variety as showy at the same season. The surest bearer we know of; two-year-old trees have produced full crops in the nursery row; when other varieties fail, the South Carolina Summer produces fruit. It ripens, where it originated, in Spartanburg county, S. C., from June 15 to the middle of August. Introduced by us.

Summer King. The finest of its season. Fruit above medium to large, beautifully striped and covered with two shades of red; flesh tender and very fine in quality. Tree quite upright and vigorous, forming a beautiful round head in orchard. A desirable variety for either family use or market. Season August.

Summer Rambo of Pennsylvania. Large to very large, round, somewhat flattened, yellow and

beautifully striped with red; flesh tender and rich, with a mild subacid flavor. August and September.

Yellow Transparent. Of Russian origin. It ripens fully ten days in advance of Early Harvest. Size medium, light, transparent lemon-yellow, smooth waxy surface; flesh white, melting, juicy, and of excellent quality; for an early Apple an exceptionally good keeper and shipper. Tree a free, upright grower, prolific, and a remarkably early bearer.


AUTUMN VARIETIES

Alexander. Tree vigorous. Fruit very large, regularly formed, conical; skin greenish yellow, faintly streaked with red on the shaded side, but orange, brilliantly streaked and marked with a bright red in the sun; flesh yellowish white, crisp, tender and juicy, with a pleasant flavor; good. September to December.

Baltzley. Large, oblate; skin clear pale yellow, sometimes a blush next to the sun; flesh tender, juicy, sweet, with a good flavor. Tree an early and good bearer. A first-rate cooking Apple; deserves a place in every orchard. Oct.



Yellow Transparent.



Buckingham, or Winter Queen.

AUTUMN APPLES, continued

Bonum. Medium oblate; color light to dark red; flesh yellow, firm, breaking fine-grained; flavor rich subacid; first quality for dessert. A most excellent Apple; originated in North Carolina; deserves more general attention. September to December.

Buckingham, or Winter Queen. Large to very large, greenish yellow, mixed and striped with crimson or purplish red; flesh yellowish, breaking tender, juicy, mild, sprightly, subacid. A handsome, healthy tree; comes into bearing very early, and very productive. This Apple is cultivated over a great portion of the southern and western states, and is everywhere very profitable and popular, succeeding in almost every locality. We consider it one of the most valuable sorts. October to January.

Fall Pippin. Very large, roundish oblong; yellow, rich and excellent. Tree vigorous and a fine bearer. Esteemed everywhere; in the valley of Virginia it is very popular as an early winter Apple. September to December.

Fall Cheese. Virginia Apple; very popular. Size large; green, beautifully striped with red; flesh white, subacid flavor, and rich aroma. Tree a vigorous grower and very productive. September to December.

Fallwater. Large, greenish yellow, with dull red cheek, slightly conical; juicy, subacid. Vigorous grower and very productive. Worthy of general cultivation. November to February.

Rebel. We unhesitatingly claim this to be the prettiest Apple that grows, and in quality it does not fall a particle below its beauty. Large size, round, bright, clear red on yellow ground covered with a fine bloom; flesh yellowish white; rich, with an agreeable mingling of the saccharine and acid. Origin, Rappahannock county, Virginia. October to February.

Smith's Cider. Rather large; greenish white, striped with red; flesh tender, juicy, with a mild, subacid flavor; a prodigious bearer and profitable market variety. October to February.

Smokehouse. Fruit large, oblate, striped with red on yellow ground; flesh yellowish white, firm, juicy, crisp and rich, with a fine, aromatic, subacid flavor; unsurpassed for culinary purposes; productive. September to December.

Wine Apple. (English Redstreak, Hays' Winter.) A valuable late autumn or early winter Apple; fruit large, skin yellow, more or less covered with mixed and broken stripes of red, splashed with crimson; flesh yellowish, firm, juicy; flavor acid to subacid, rich; quality good. October to December.

"I consider your nursery stock far superior to any I have bought or seen sent out to this country. I have tried other nurseries, but none give the satisfaction that I have received from your trees, and now I will buy from no other."—REV. JAMES HUGHES, Mero, Va., Aug. 13, 1904.

AUTUMN APPLES, continued

Wealthy. From Minnesota. Fruit medium, oblate; whitish yellow ground, shaded with deep, rich crimson in the sun; flesh white, fine-grained, tender, juicy, lively, vinous subacid. We have fruited this variety for the past five years, and we consider it one of the best for market and home use. Bears young and abundantly. September.

Wood's Favorite. Originated with Mr. C. B. Wood, Rappahannock county, Va. Similar to Maiden's Blush, which it is supposed to be a seedling of, only later. Fruit above medium to large; beautiful orange-yellow, with a brilliant red blush; flesh firm, fine-grained, crisp, subacid. September to January.

WINTER VARIETIES

Albemarle Pippin. Perhaps no Apple stands higher in the market than this, or brings as high a price; yet others may be more profitable to the grower. It succeeds finely in the Piedmont region, and in many parts of the valley of Virginia, though in poor, cold soils it will not succeed. It needs a deep, warm soil to bring it to perfection. Where it does well we would still advise planting it largely for market. Fruit large, round, lop-sided, ribbed and irregular; surface smooth, yellowish green, sometimes bronzy, becoming yellow when ripe; flesh yellow, firm, brittle, juicy; flavor acid, rich, agreeable. January to April.

Ben Davis. Originated in Kentucky. Tree remarkably healthy, vigorous, and an abundant bearer; fruit large, handsome, striped; flesh whitish, tender, juicy, subacid; a very profitable market variety. Keeps till midwinter or later.

Berry Red. It is supposed to be a chance seedling, found growing on the premises of Mr. John Berry, of Meadow Creek, in Whitley county, Ky. The parent tree has borne annual crops of fruit for nearly eighty years. Large to very large; color dark bright shining red; form oblate; flesh cream color; quality good; flavor excellent, and retained through its long keeping season; subacid, rich, juicy. As a market variety and a long keeper it is second to none.

Bentley's Sweet. Supposed origin, Virginia. Fruit medium, roundish, flattened at ends, sometimes slightly oblique and sometimes sides unequal; pale yellowish green, shaded with pale red, and moderately sprinkled with light and brown dots; flesh fine, whitish, compact; sweet, somewhat honeyed flavor; tree moderately vigorous, hardy, good bearer and keeper; very good. January to May.

Cannon Pearmain. Medium size, round oblong or ovate, shaded and striped with red; flesh yellow, firm; flavor mild, subacid; a good bearer, and valuable for marketing; deserves extensive planting in the South. January to April.

Delaware Red Winter. Color a beautiful red; medium in size; subacid and juicy; keeps till June, or later; tree vigorous and good bearer, productive; good keeper.

The Dickinson. Josiah Hoopes, ex-President of the Pennsylvania Horticultural Association, describes it as follows: "This promising variety originated in West Chester, Chester county, Pa., some twenty years ago, and was grown from the seed of the well-known Bellefleur. The original tree is not in a remarkably favorable position, nor has it received any especial treatment to induce fruitfulness or fair specimens, yet the result has been exceptionally good. It is a rather straggling grower. It has never missed producing a crop of fruit since arriving at bearing age, and has generally yielded above the average in quantity, thus entitling it to be termed a regular and abundant bearer. The fruit is large to very large, ovate inclining to conical; covered with faint streaks or marblings of red, deepening on the sunny side to dark red; flavor mild, subacid, abounding in juice; especially pleasant and agreeable; quality very good to best. Season, January and February."

Grimes' Golden. Medium, rich golden yellow; crisp, tender, juicy, with a peculiar aroma; good grower and early bearer; very popular in West Virginia. November to March.

Gano. Tree very healthy, vigorous, very hardy; an early, annual and prolific bearer; color bright red on yellow ground; large; flesh white, fine-grained, mild subacid. Close kin to Ben Davis; same season.

Ivanhoe. Medium to large, well proportioned; color a light golden yellow when mellow; flesh tender; flavor excellent, crisp and juicy. The tree is vigorous, bears very young—often at two years of age—and bears abundantly every year. Fruit hangs on the tree until Christmas or after.

Johnson's Fine Winter, or York Imperial. Medium size, truncated oval, angular; skin greenish yellow, nearly covered with bright red; flesh tender, crisp, juicy, aromatic; an enormous bearer, and hangs well on the tree. It is also a good keeper, retaining its flavor to the last. We cannot say too much in favor of this Apple. All things considered, it is scarcely second to any in the Catalogue as a profitable orchard variety. February to April.



Johnson's Fine Winter, or York Imperial. (See page 13)

WINTER APPLES, continued

Jonathan. Fruit medium or small, roundish; skin yellow, nearly covered with dark or lively red; fine-grained, very tender and finely flavored. November to April.

Justice. This Apple, introduced by us, originated in Wayne county, W. Va., where it is prized as one of the best. Fruit very large; skin yellow, with heavy blush on sunny side, rather thick, smooth surface. It has a delicious flavor, subacid and is known to keep until the following July. Specimens of same have weighed as high as twenty-six ounces.

Kinnard's Choice. Fruit medium to large, roundish oblate; skin yellow and covered with dark red or crimson; flesh yellow, fine-grained, tender, rich, juicy, almost aromatic; most excellent. No Apple grown is of better quality. Tree vigorous and bears young; is thought to be a seedling of Winesap and is worthy of such parentage.

Longfield. One of the best of the new Russian Apples. Tree a strong grower and an early, abundant and annual bearer; flesh white, fine-grained, tender, juicy, with a rich, sprightly subacid flavor. December to April.

Lady Apple. A beautiful, small, dessert fruit; pale yellow, with brilliant red cheek; crisp, juicy and pleasant.

Limber Twig. An old southern Apple; medium size, dull red color; subacid and of rich flavor; good grower, bearer and keeper. January to April.

Lankford's Seedling. Origin, Kent county, Md. Tree hardy and a good bearer, bearing annual crops; fruit of large size, striped; quality excellent; keeps until April.

McCuller's Winter. Originated in Wake county, North Carolina, and is one of the best keepers yet introduced; succeeds well in all eastern North Carolina, and in the sand hills of Moore and Harnett counties it seems to be at home. It is peculiarly suited to the eastern half of North Carolina and similar sections throughout the cotton belt. Size medium, dark and light red, quality good when fully matured; a very young and extremely prolific bearer. Season, January to March.

Mammoth Black Twig, or Paragon (Arkansas, of Arkansas). Tree very vigorous, hardy and productive; roots much stronger than Winesap; has larger leaves and twigs a shade darker; fruit about the same color as Winesap but larger; flavor fully equal to Winesap; believed to be a better keeper.

Mason's Stranger. Originated in Greenville county, Virginia. Medium size; color yellow, with russet dots on one side; flesh white, juicy and crisp; flavor nearly sweet; keeps through winter into spring; tree moderately thrifty and a good bearer. We recommend this as one of the best. January to March.

Morgan's Christmas. Our attention was brought to this promising Apple January, 1888, by Prof. Adin L. Rucker, of

"The trees furnished by you in 1882 were splendid, and have caused a great deal of favorable comment."—W. H. TRAIL, Washington, D. C., *March 31, 1894.*



Mammoth Black Twig. (See preceding page.)

WINTER APPLES, continued

Rutherfordton, N. C., who sent us specimens at that time, and we made arrangements with the owner for the right to propagate it. Prof. Rucker describes it as follows: "Medium to large, is somewhat flattened at the ends; color rather peculiar, at the stem being dark red or black, which fades to yellow below the center to blossom end; but its crowning excellence is its flavor. I have never eaten any other Apple to equal it in its season." December to March.

Dixie, or Mosby's Best Red Winter. "This Apple is a native of Piedmont, Va., and is worthy of general cultivation, as evidence of which I have affixed my name, believing that unborn generations will be grateful to me for propagating and widely disseminating a real gem. I want to sell this Apple to my best friends, and to as many of them as possible. This Apple averages larger than the Winesap, and keeps longer. Color, beautiful red on yellow ground. Flavor, nearly sweet,

very slightly acid, delicious. Will ship well and sell at a fancy price as a dessert Apple in any market. The tree is a rapid grower, healthy and vigorous; comes into bearing very young, and has no off year." Introduced by A. F. Mosby.

Nansemond Beauty. From Nansemond county, Va.; said to excel the Winesap in beauty, size and keeping; its uniform size and handsome appearance render it a desirable sort for marketing. The fruit is large, uniform, of a beautiful crimson-red, somewhat shaded with yellow; flesh quite white, crisp, tender, juicy. Since its first introduction this variety has been steadily growing in favor, and from many sections we are now receiving favorable reports as to its value. December.

Nickajack. This Apple is very widely disseminated in the South. Fruit large, roundish; skin striped and splashed with crimson; flesh yellowish, compact, moderately tender and juicy, subacid; quality only good. November to March.



Stayman's Winesap. (See opposite page.)

WINTER APPLES, continued

Paradise Winter Sweet. Large, regularly formed, roundish; skin fair and smooth, dull green when picked, with a brownish blush; flesh white, fine-grained, juicy, sweet, sprightly and very good; productive; an excellent Apple; well worthy a place in the orchard. November to February.

Roberson. Size, large, roundish, slightly oblong—as large as the Albemarle Pippin; color rich yellow, covered with red, and shaded with deep red; flesh yellowish, crisp, juicy and well flavored; slightly subacid; tree a vigorous grower and abundant bearer; season from January 1 to June; origin, Patrick county, Va.

Roxbury Russet. Rather above medium size, roundish, oblong, remotely conical; skin covered with russet; flesh greenish white, rather granular, slightly crisp, with a good subacid flavor. November to January.

Romanite, or Carthouse. Medium size, roundish, oblong, striped and shaded with deep red on greenish yellow ground; flesh yellow, firm, juicy and rich, becoming tender and sprightly in the spring; valuable for the South; an early and

profuse bearer and a good keeper. January to May.

Royal Limbertwig. Very large, pale yellow, blushed or striped with red; flesh juicy, rich and very good; tree a thrifty grower and bears well. December to March.

Rawle's Genet. Tree moderately vigorous, putting forth its leaves and blossoms much later than other varieties in the spring, consequently avoiding injury by late frosts; it is therefore particularly valuable for the South and Southwest. Fruit medium; color pale red. January to April.

Rome Beauty. Large, yellow, striped, and mixed with light red; flesh yellow, breaking coarse-grained, subacid; valuable for market on account of its productiveness, size and beauty, as well as for its certain bearing. November to January.

Shockley. From Jackson county, Ga. Fruit medium size, yellow, with crimson cheek; flesh subacid, nearly sweet; tree erect, vigorous grower; comes into bearing early and is exceedingly productive. This is probably the most reliable and valuable winter variety for the South, and

WINTER APPLES, continued

is there justly very popular. Valuable in eastern Virginia and lower Maryland. Keeps till May or June.

Stark. Esteemed in Ohio as a long keeper and valuable market fruit. Fruit large, roundish; skin greenish yellow, much shaded with light and dark red, and sprinkled with brown dots; flesh yellowish, juicy, mild subacid. January to May.

Stayman's Winesap. J. W. Kerr, of Denton, Md., says: "It is one of the finest Apples under cultivation, so much superior to its parent—the old Winesap—in size, flavor, color and keeping qualities, as to completely crowd it out where both are known. It originated with Dr. Stayman, of Kansas, and was in bearing with me ten years ago. Its merits were so pronounced from the first as to warrant strong commendation. From my oldest trees specimens have been exhibited at county fairs and horticultural meetings, and sent to many pomologists and many prominent growers. It is now attracting attention everywhere as a profitable market variety. It has large size, bright red color, great productiveness and best quality to commend it. The tree is a vigorous grower, and, like its parent, is irregular and drooping in habit, and adapts itself readily to different soils and situations. Truly it is a great Apple."

Sutton's Beauty. Origin Worcester, Mass. Fruit large, roundish, skin waxen yellow, striped with crimson; flesh ten-

der, subacid, good. Tree a free grower and productive. January and February.

Virginia Beauty. Very popular in Southwest Virginia, where it has been grown for the past thirty years or more. Medium to large; very dark red; subacid. Very valuable on account of its fine keeping qualities. We have been growing this variety for twenty-five years for the Southwest Virginia trade, but think it should be planted more freely in other sections. November to March.

Winesap. Fruit medium size, rather oblong; skin smooth, of a fine, dark red, with a few streaks and a little yellow ground appearing on the shady side; flesh yellow, firm, crisp, with a rich, high flavor. November to March.

Walbridge, or Edgar Red Streak. Medium, oblate; pale yellow shaded with red; flesh white, crisp, tender and juicy, mild subacid; tree hardy and vigorous. November to February.

Wolf River. An Apple peculiarly adapted to the West on account of its extreme hardiness; very large and handsome; flesh whitish, juicy, subacid; a good bearer and a long keeper.

White Pippin. Fruit large, greenish white, pale yellow when ripe; flesh white, tender, with rich subacid flavor. January to March.

Yates. A Georgia variety of small size, dark red, and dotted with white dots; flesh firm, juicy, aromatic; immense bearer and good keeper.

ADDITIONAL LIST OF APPLES WE GROW IN LIMITED NUMBERS

Abram	Gilliam's Winter	May	Pilot
A. G. Russett	Grindstone	Milam	Rambo
Arkansas	Jeffries	Missouri Pippin	Summer Rose
Baldwin	King	Northern Spy	Summer Queen
Belleflower	Ladies' Sweet	Peck's Pleasant	Summer Haglow
Early Strawberry			

CRAB APPLES

The Crab Apple is valuable for preserving, jellies, cooking and cider, and some varieties are also desirable for table use. They are often planted for ornamental trees, being covered in spring with lovely fragrant blossoms, while in the summer and fall the fruit makes a handsome appearance on the tree. They will flourish in almost any soil and climate, come into bearing very early, and are very productive. We give below the most valuable sorts.

Bechtel's Double Rose-colored. This is a true American Crab Apple, producing quantities of fine, very fragrant, full double flowers, closely resembling roses. It is one of the rarest, most truly meritorious novelties ever introduced.

Hyslop. Fruit large for its class, produced in clusters; dark, rich red, covered with a thick blue bloom. Good for culinary uses and for cider.

Transcendent. Fruit large for its class; golden yellow, with a beautiful rich crim-

son cheek; when ripe the red or crimson nearly covers the fruit; flesh creamy yellow, crisp, subacid, pleasant and agreeable. Tree is a rapid grower and productive. September.

Whitney. (No. 20) Large, striped and splashed with red; flesh yellow to white, firm, juicy, with a pleasant subacid flavor. Hard, vigorous, productive. August.

Yellow Siberian. Large, and of a beautiful golden yellow color. Tree vigorous. September.

Select Pears

The cultivation of this noble fruit is extending as its value is appreciated. The range of varieties is such that, like apples, they can be had in good eating condition from July until early spring.

The melting, juicy texture, the refined flavor and the delicate aroma of the Pear give it rank above all other fruits except the grape.

But the Pear, like most things highly desirable and valuable, cannot be had without attention, labor and skill. The relative price of the apple and the Pear being about as one to ten, show at the same time the superior value of the latter and the greater skill required to bring it to perfection.

One of the most important points in the management of Pears is to gather them at the proper time.

Summer Pears should be gathered at least ten days before they are ripe, and autumn Pears at least a fortnight. Winter varieties, if they will hang so long, may be left until the leaves begin to fall.

At the present time the demand is for choice fruit; inferior fruit brings scarcely a remunerative price, but the best will always pay well. Pears should have the best kind of cultivation; the fruit should be thinned so as not to over-produce. Care should be used in selecting for market only the best specimens, and with such effort and system on the part of the grower there will always come a satisfactory profit.

The Pear succeeds on most soils, but does best on a rather heavy loam. Budded on its own stock it makes a standard tree, and on the French or Angers quince a dwarf—the former being best adapted to large, permanent orchards; the latter (requiring garden culture and severe pruning every year) to smaller orchards, fruit yards and gardens.

Dwarfs must always be planted sufficiently deep to cover the junction of the Pear and quince two or three inches—the soil made rich and well tilled, and about one-half of the previous summer's growth cut off each spring. Under this treatment dwarfs are everywhere successful. The side branches should not be removed higher than one foot from the ground in Dwarfs, while Standards may be trimmed to the height desired. Train in pyramidal form. Ripen the fruit in the house. Gather when, on gently lifting the fruit, the stem will readily separate from the limb. Place in a dark room until fully matured. Winter Pears may hang on the trees until there is danger from frost, then place in a dry cellar for maturing.

EARLY VARIETIES

Bartlett. Large, yellow, with a soft blush on the sunny side; flesh white, exceedingly fine-grained and buttery, sweet, very juicy, with a highly perfumed, vinous flavor. This is justly esteemed one of the very best Pears in cultivation; bears early and well. July and August.

Boykin's June. Below medium size; yellow with a reddish brown cheek; flesh white, sweet, not of high flavor, but its earliness and handsome appearance make it a desirable market variety; originated in Isle of Wight county, of this state. Season first to middle of July.

Clapp's Favorite. A first-rate early variety, which is rapidly growing into favor; resembles the Bartlett in appearance, but ripens a week or ten days earlier; one of the best native sorts; fruit large; skin smooth, yellowish green, becoming yellow, dotted and shaded with red next the sun; flesh yellowish white, juicy and melting; of very good quality. Last of July.



Early Harvest.

EARLY PEARS, continued

Comet, or Lawson. This Pear is now attracting a good deal of attention, and promises to be a profitable sort for the early market. The tree is a vigorous grower and very productive; fruit above medium size and of most beautiful crimson color on yellow ground; flesh crisp and pleasant, though not of best quality. Ripens early in July.

Early Harvest. This remarkable Pear is one that deserves to be universally planted. Tree is a very thrifty grower and good bearer; the very earliest of the large Pears; a month earlier than Clapp's or Bartlett. In the orchard and nursery the trees have been free from blight. (See cut, preceding page.)

Koonce. Tree a vigorous grower and a heavy and annual bearer. One of the earliest Pears of any size. We have not fruited it, but it comes highly recommended from southern Illinois. From samples received we do not class it as first quality, but its size and handsome appearance will make it sell as an early market Pear.

Le Conte. Supposed to be a hybrid between the old Chinese Sand Pear and a cultivated variety. Fruit large, pyriform; skin smooth. Tree of remarkable vigor and rapid growth; foliage luxuriant; has so far been nearly free from blight. Commences to bear early and is extremely prolific. Quality variable. Ripens a few days before Bartlett. Grown only as a Standard.

Summer Doyenne. (Doyenne d'Ete.) Small; flesh white, melting, juicy, with a pleasant, sweet flavor. Tree a good grower and productive. One of the best very early Pears. First to middle of July.

Wilder. Disseminated by C. A. Green, Rochester, N. Y., and described as one of the earliest to ripen, about with Summer Doyenne and Alexander peach; not fruited South at this date. The following good points are claimed for it: Earliness, superior quality, does not rot at the core, handsome appearance and vigor of the tree.



Anjou.

SUMMER AND AUTUMN VARIETIES

Angouleme. (Duchesse d'Angouleme.) Very large, dull greenish yellow, streaked and spotted with russet; flesh white, buttery and very juicy, with a rich and very excellent flavor. On young standard trees the fruit is variable, but on the quince, to which stock this variety seems well adapted, it is always fine. The large size and fine appearance of this fruit make it a general favorite. Sept. to Nov.

Anjou. (Beurre d'Anjou.) Large, greenish, sprinkled with russet, sometimes shaded with dull crimson; flesh whitish, buttery, melting, with a high, rich, vinous, excellent flavor. Very productive; succeeds well on the quince. Should be in every orchard. September to November.

Bessemianka. The new hardy Pear for extreme cold northwestern states; grown and fruited in Vermont with the thermometer at 40 degrees below zero; a

"For several years Hood's nursery stock has been coming into this part of the country, and orchards are now numerous from your nursery, and growers have no hesitancy in stating that they were well pleased when they received their stock, as they were fine stock, came in good shape, and when set to field were vigorous and healthy, and making rapid growth were soon in a bearing size, and invariably prove true to name. All are well pleased, and use no hesitancy in repeating their orders for more stock when in need of nursery stock."—A. J. ROBERTS, Lick Creek, Illinois, July 21, 1904.



Flemish Beauty.

SUMMER AND AUTUMN PEARS, continued
 favorite. The fruit is medium in size, perfect pear-shaped, and nearly or quite seedless; flesh tender, juicy, mildly sub-acid, almost buttery, and very satisfactory for dessert use. The tree is a rapid, upright grower, with green foliage always free from rust or mildew. September.

Brignais. (Beurre de Brignais, Des Nonnes.) This very excellent Pear is of medium size, smooth, greenish, with numerous gray dots; flesh white, very juicy; sweet, melting and delicious; an early and abundant bearer. August and Sept.

Bullum. Medium size; yellow, with a broad reddish brown cheek, somewhat russeted; flesh white, buttery, sweet, and of excellent flavor; valuable for its fair fruit and fine bearing qualities. September and October.

Belle Lucrative. Above medium size; yellowish green, melting and fine; a good grower and bearer; does well on the quince; one of the very best Pears, and should be in every collection. August and September.

Flemish Beauty. Large; skin pale yellow, but mostly covered with marblings and patches of light russet, becoming reddish brown at maturity on the sunny side; flesh yellowish white, not fine-grained, but juicy, melting, saccharine and rich. In good soils and open situ-

ations the Flemish Beauty, when in perfection, is one of the most superb Pears; the tree is hardy and bears early and abundantly. September.

Frederick Clapp. Form nearly round; size above medium; skin thin, smooth and fair, clear lemon yellow; flesh fine-grained, very juicy and melting; flavor sprightly, acidulous, rich and aromatic; quality very good to best. September and October.

Garber's Hybrid. Tree an upright grower, with heavy dark green, glittering foliage which is nearly or quite free from blight; fruit as yellow as an orange, larger than Kieffer, better in quality and four weeks earlier. September. Origin, Pennsylvania. Not fruited South.

Howell. Rather large; light waxen yellow, often with a finely shaded cheek, and covered with dots and patches of russet; flesh white, rather coarse and granular, with a rich perfumed aromatic flavor; a profuse bearer. August.

Japan Golden Russet. The tree is a luxuriant grower, with an abundance of thick, tough, leathery foliage, enabling it to endure great heat and drought without injury. Fruited with us this year in nursery row (two-year-old trees). It is an extremely early bearer, and bears enormously every year. Ripens in September.

"My orchard is considered one of the finest in the county, which fact is due to my having obtained the trees of you, through your agent, Capt. J. S. Coates. In traveling through the county, your stock can easily be distinguished by its thrifty appearance and quickness to produce fruit."—GEORGE W. STANLEY, Negro, Virginia, July 29, 1901.


SUMMER AND AUTUMN PEARS, continued

Louise Bonne de Jersey. Large; pale yellowish green, with a brownish cheek; flesh yellowish white, very juicy, buttery, melting, rich, faintly subacid, fine. This variety is scarcely of the highest quality, but is eminently valuable for its large, fair fruit, free growth and great productiveness. September and October.

Rutter. Rather large; skin rough, greenish yellow, with some russet; flesh white, juicy, sweet and slightly vinous; very good; bears early and abundantly. September and October.

Seckel. Small; skin brownish green at first, becoming dull yellowish brown, with a lively russet-red cheek; flesh whitish, buttery, very juicy and melting, with a peculiarly rich, spicy flavor and aroma. This variety is pronounced by good judges as the richest and most exquisitely flavored known, and we may add to this that the tree is the healthiest and hardiest of all Pear trees, forming a compact and symmetrical head, and bearing regular and abundant crops at the ends of the branches. It ripens gradually from the middle of August to the middle of September.

Vermont Beauty. This most desirable of all dessert Pears is a hardy and vigorous grower, and almost entirely free from leaf-blight; it nearly equals the delicious Seckel in quality, is much handsomer, very prolific, and a good keeper. In form the fruit is of full medium size, obo-



Worden-Seckel.


vate, yellow, and covered on the sunny side with a bright carmine-red; the flesh is rich, juicy, aromatic, best. September.

Worden-Seckel. A seedling of the Seckel, equally as good in flavor and quality, but far superior in size, color and beauty. It is an upright grower, abundant bearer, and ripens a little later than Seckel. Originated in Oswego county, N. Y. Introduced by Smith, Powell & Co., Syracuse, N. Y.


WINTER VARIETIES

Dewey's Premium. It originated at Marietta, Ohio, and the introducer, who is a fruit-grower well known in that section, claims that it is entirely blight-proof, hardy, and an annual bearer. A large, fine and showy fruit of no value. November to January.

Kieffer. Originated near Philadelphia, and supposed to be a cross between the Chinese Sand Pear and the Bartlett. Tree a very vigorous grower; an early and abundant bearer. Fruit medium to large; skin yellow, with a bright vermilion cheek; flesh brittle, very juicy, of good quality. Valuable for market or family



Kieffer. (Half size.)



WINTER PEARS, continued

use; succeeds best as a standard. As a late fall Pear there is no variety as yet disseminated which has given such general satisfaction and profitable returns, trees four years after planting in orchard yielding as high as three bushels of perfect fruit.

Lawrence. Rather large; yellow, covered with brown dots; flesh whitish, slightly granular, somewhat buttery, with a very rich aromatic flavor; unsurpassed amongst the early winter Pears. Succeeds well on the quince; ripens with little care. Should be in every orchard. Tree healthy, hardy and productive November and December.

Lincoln Coreless. Originated in Lincoln county, Tenn. It is said to be seedless or nearly so. The original tree is said to be about sixty years old, an annual bearer and free from blight. The quality of the fruit is excellent; when ripe the color is golden and flesh yellow. It is a winter variety and said to keep well until March.

President Drouard. This very promising variety was introduced by us from France some years ago, and our experience with it so far leads us to believe that it will prove to be the most valuable winter Pear for this section. Fruit large, often very large, handsome, and of very good quality. Tree hardy and a vigorous grower and an abundant bearer. October to January.

ADDITIONAL LIST

Lawrence.

To aid the inexperienced in making their selections, we have carefully prepared the following lists—one for cultivation as Standards on Pear stocks, the other to be grown as Dwarfs on quince root. In both lists the varieties are put down about in their order of ripening. When one variety is found in both the Standard and Dwarf lists, it is understood that they do well either as Standard or Dwarf.

STANDARDS

Summer Doyenne	Le Conte	Flemish Beauty	Garber
Clapp's Favorite	Howell	Rutter	Kieffer
Bartlett	Belle Lucrative	Brignais	Lawrence
Vermont Beauty	Seckel	Buffum	President Drouard
Early Harvest			

In all lists we advise that one-half to three-quarters of Bartlett and Kieffer be planted.

DWARFS

Summer Doyenne	Buffum	Rutter	Lawrence
Howell	Angouleme	Anjou	President Drouard
Brignais			

And in all lists we advise one-half Angouleme.

"Seven or eight years ago I bought a lot of fruit trees from you and found them all true to name and fine fruit. If I ever need any more I want them from you."—WALTER VINCENT, Dongolia, Union Co., Ill.

"I consider your nursery stock far superior to any I have bought or seen in this locality. I have some trees from other concerns which do not compare with the ones I bought of you. Wishing you success, I remain, yours truly," Jno. W. POWERS, Isis, Va.



Select Peaches

The ease with which Peach trees may be cultivated, their comparative freedom from disease, the short period before they become productive, with the immense demand for the fruit and the facility with which it may be shipped to distant markets, make Peach-growing extremely profitable.

We have the climate and the opportunities to develop this fruit to the highest standard of excellence, and it should be a source of gratification to all that within the last few years so many valuable new varieties of merit have been introduced.

Owing to the greatly increased demand for the Peach, due to the development of the canning and evaporating interests, this fruit will no doubt continue to be exceedingly profitable to the orchardist who gives the business proper attention and has a suitable location for his orchard.

The grower in the southern states who has transportation facilities to market his fruit in the northern markets, we would advise to plant largely of the earliest varieties; they mature and can be marketed in New York before the fruit of Delaware and Maryland is ripe. In the New York market the early southern Peaches always command the highest prices. Those situated beyond the reach of convenient transportation should, after providing for their local markets, plant the best sorts for canning and evaporating purposes, as these have now become very important and profitable industries.

There is no fruit tree that makes so quick a return as the Peach. Give it reasonable attention, and in three years from planting a fair crop may be gathered; and the receipts from a good orchard are something of importance, there now being many Peach growers in Delaware and Maryland who realize from ten to twenty thousand dollars from that crop in favorable seasons, and yet they do not have the advantage of the high prices that may be obtained by the southern orchardist for his earlier crop, brought into the market before the competition that meets the Maryland and Delaware grower.

Our purpose is to grow the best trees—not the lowest-priced ones. Great care is necessary to preserve the health of the young tree before it is taken to the orchard. We, therefore, are careful to select the best seed, to use buds from healthy trees only, and we are confident that every tree will be true to name and just as represented by us. Fifteen or twenty sorts will give a succession through the season that would satisfy the most fastidious lover of this fruit, not only in a succession, but in a variety of sorts for all seasons.

Alexander. Fruit medium to large, bright color and of good quality; one of the favorite early market varieties.

Amelia. From South Carolina; very large and beautiful; white, nearly covered with crimson; flesh white, juicy, melting, sweet, rich, vinous; one of the best

Peaches for home consumption, but too tender for long transportation; freestone. Last of July.

Bilyeu's Late. Originated in Caroline county, Md., ripening after Smock Free and Salway; fruit of large size; color white, with a beautiful blush cheek; flesh white.



Carman.

SELECT PEACHES, continued

Beatrice. (Early Beatrice.) Small to medium size; deep mottled red; flesh melting, juicy, vinous and of good quality; blooms late and frequently bears when other varieties are destroyed by frosts; valuable for the latitude of Virginia and southward; bears transportation well. Early in July.

Belle of Georgia. Very large; skin white, with red cheek; flesh white, firm and of excellent flavor; the fruit is uniformly large and showy; tree a rapid grower and very prolific. Ripe July 1 to 15. New.

Bishop. Very large, crimson, white flesh; free; a valuable market sort; sure and prolific.

Bokara No. 3. The hardiest yellow Peach yet brought to notice; of fine quality and a heavy bearer; 30 per cent harder than any other kind.

Butler's Late. This magnificent new freestone Peach originated in the garden of J. T. Butler, Richmond, Va. Fruit of the very largest size; skin greenish white, with red cheek; flesh white, firm and of very good flavor; tree vigorous and very productive. September 15 to October 1.

Carman. In this new, hardy rot-proof Peach, ripening at the same time as Early Rivers, and yet almost as large and fine as Elberta itself, we have a Peach of great market value; a large, roundish Peach with a pale yellow skin, red blush on sunny side; white flesh, tender and melting; rich, sweet and of superior flavor; by far the finest of any Peach ripening ahead of Mountain Rose. A big, early yellow-skinned Peach of high quality is sure to be in great demand. Don't miss the Carman!

Crawford's Early. A magnificent, large, yellow Peach of good quality. Its size and beauty make it one of the most popular orchard varieties. First of August.

Crawford's Late. Very large, roundish; skin yellow, with a beautiful dark red cheek; flesh rich, yellow, melting, with sweet luscious flavor. Worthy of universal cultivation as table and market sort. Middle of August.

Christiana. A new, very large, fine-looking yellow Peach, ripening between Crawford's Late and Smock; its large size, handsome appearance and time of ripening combine to make it a very valuable Peach.

SELECT PEACHES. continued

Chinese Cling. Fruit large, roundish, oval; skin transparent cream-color, with marbling of red next to the sun; flesh creamy white, very juicy and melting, with a rich, agreeable flavor. Last of July.

Chinese Free. (China Strain.) Large, oblong; skin white, with red cheek; flesh red, firm and well-flavored; free from rot, which makes it a very desirable market variety. Ripens with Crawford's Early.

Chair's Choice. Originated in Anne Arundel county, Md.; fruit of very large size, yellow, with a red cheek; flesh yellow, firm and of good quality; tree a strong grower and a good bearer. Ripens just before Smock.

Caroline Beauty. This magnificent Peach originated in Caroline county, Virginia, and is a worthy competitor of the celebrated Heath Cling, being fully equal to it in flavor, much larger in size and has proved to be a preserving fruit of the first order. It has a yellowish white skin, with firm white flesh; large, roundish in shape; juicy, sweet and delicious; clingstone. Ripens about September 10.

Crosby. This new Peach, which originated in New England, is highly recommended on account of its hardiness and bearing qualities. Fruit roundish in form, slightly flattened with a distinct seam across the blossom end; color is bright yellow, with a red cheek; flesh yellow, sweet, juicy and rich. A freestone with a very small pit. Last of August. Ripens between Crawford's Early and Late.

Champion. It has been carefully tested for a series of years and proves itself a remarkably early Peach. It bears full crops when all other varieties fail, proving itself one of the hardiest Peaches known. It is also remarkable for size and good quality; skin is of a rich, creamy white, with a red cheek, exceedingly handsome; flesh creamy white, firm, sweet and delicious, rich and juicy; a perfect freestone. Ripens with Early Rivers and will supersede that popular variety when once known.

Connett's Southern Early. It has extra large fruit of a cream-white shade, having a beautiful blush next to the sun. It is one of the most delicately colored Peaches grown, and a clear freestone, with small seed. Of fine quality, and borne in profusion early in July upon trees noted for their strength and vigor.

Early Canada. Originated in the Province of Ontario; medium size, good quality and

handsome appearance. One of the earliest varieties, and nearer freestone than most of the early sorts.

Early Silver. Large; melting and rich, with the vinous flavor of the White Nectarine, its parent; ripens early in August.

Elberta. An exceedingly large, high-colored yellow Peach, a cross between Crawford's and Chinese Cling; juicy, well flavored; said to be probably the finest yellow freestone in existence. Ripens early in August.


Emma. Fruit very large; skin golden yellow, with red cheek; flesh yellow, fine-grained, firm, juicy and highly flavored; tree luxuriant grower and quite prolific; a perfect freestone; one of our most attractive and profitable market varieties. Ripe July 25 to August 5.

Family Favorite. A seedling of Chinese Cling, originated in Texas; said to be large, handsome, certain and prolific; flesh white; valuable for shipping, canning or drying. Freestone; ripens about with Crawford's Early.

Foster. A new, very large Peach, resembling Crawford's Early in appearance, but larger and somewhat earlier; tree hardy and productive. August.

Fitzgerald. An improved Early Crawford, being fully equal to it in size, quality and color. In Canada and Michigan has proven one of the hardiest. Fruit large, brilliant color, bright yellow suffused with red; flesh deep yellow, best quality. Early September.

Geary's Hold-On. Large, yellow Peach, seedling of the Smock; fruit large; pale lemon-yellow. A little later than Smock.



Emma

SELECT PEACHES, continued

Grand Admiral Cling. Full medium size; skin white, nearly covered with red; a very handsome and excellent Peach, and a good bearer. First of August.

Globe. An improvement upon Crawford's Late; vigorous and productive; fruit large, globular, of a rich golden yellow, with red blush; flesh firm, juicy, yellow. Second week in September.

Golden Drop. Large, golden yellow, with a red cheek in the sun; flesh yellow, juicy, rich and very good. A promising variety. Tree very hardy and productive. Ripens between Hill's Chili and Smock.

Greensboro, New. Mr. J. Van Lindley, of North Carolina, says of this Peach: "While I was shipping Alexander, not one-third of which were ripe, I visited the original Greensboro tree. It certainly was a great surprise; the tree was loaded with fruit, colored beautifully with crimson, with yellowish cast; they were uniformly large, averaging more than double the size of Alexander. I was told that they had been ripening more than a week, and about every Peach on the tree was then ripe enough to ship, most of them getting soft. A Peach as large as common July Peaches, and beautifully colored; a freestone, ripening with Alexander. It was there before me in all its beauty, the greatest surprise I ever had; I could hardly realize it, seeing such a Peach at that season. The flesh was white, very juicy, and of excellent quality. I know of no Peach that will beat it."

Heath Cling. This is perhaps the very best of the late clingstone Peaches. Its very large size, beautiful appearance, high and luscious flavor, combined with its late maturity and the long time it may be kept after taking from the tree, renders it a most valuable sort for market. Fruit very large; skin pale yellowish white, with a faint blush or tinge of red in the sun; flesh greenish white, very tender and melting; exceedingly juicy, with a sweet, rich, high and luscious flavor; tree hardy and vigorous. Middle of September.

Hill's Chili. Medium size; dull yellow; very hardy; a good bearer; highly esteemed as a market fruit. September.

Hynes' Surprise. True freestone when ripe; resists rot better than Hale's Early, which it resembles. Fruited with us this season—coming in just after Alexander. The best early Peach we have.

Jackson, or Red July. Origin, Richmond, Va. One of the largest early freestones; skin a beautiful rich red; flesh white,

very juicy, and separating entirely from the seed. Ripens after Alexander.

Jacques' Rareripe. Very large, deep yellow; highly esteemed where known; of excellent quality. Last of August.

Lady Ingold. A large, handsome, yellow freestone, ripening immediately after Hale's Early; resembles Crawford's Early in size and appearance; quality very good.

Large Early York. Is rather large and a beautiful Peach, well worthy a place in every good collection. The tree is vigorous and productive; fruit dotted with red in the shade, deep red cheek to the sun; flesh nearly white, fine-grained, very juicy, with a mild, rich, excellent flavor; a very valuable sort. July 25.

Large Red Rareripe. A most excellent Peach, ripening early in August. Fruit large; skin greenish white, dotted, and with a beautiful, rich, red cheek; flesh white, red at the stone, melting and juicy, with a sweet and rich flavor. We consider it one of our best.

Lemon Cling. A very large and beautiful lemon-shaped variety; light yellow, reddened in the sun; flesh firm, yellow, rich, with a vinous, subacid flavor; fine for preserving; tree very hardy and productive. Last of August.

Lemon Free. This magnificent yellow Peach originated in Summit county, Ohio. The name is very appropriate, as it is almost of lemon shape, being longer than broad, pointed at the apex; color a pale yellow when ripe. It is of large size, the finest specimens measuring over 12 inches in circumference; of excellent quality. Ripens after Late Crawford. Is immensely productive.

Levy's Late. (Henrietta.) A new, late clingstone, which originated in the garden of W. W. Levy, Washington, D. C. Fruit large, roundish; skin deep yellow; a shade of rich brownish red in the sun; flesh deep yellow, rather firm, juicy, half-melting sweet; very good and a valuable variety. First to last of September.

Lorentz. (Per.) New. Its introducer says of it: "We have never known it to fail a crop in the most adverse seasons, and we believe it to be as nearly frost-proof as any variety yet introduced. It bears crops when others fail entirely. Fruit is unusually large and of a superior flavor, especially so for one so late in the season. It is a freestone, yellow-fleshed, and its handsome appearance has been a surprise to all who have seen it. Does not crack, is very firm, keeps well, and is a fine shipper."

"I received trees yesterday (December 2) in good shape. I am highly pleased with them; think they are fine. Want more in the spring."—T. L. Reeves, Rappahannock Academy, Va., December 3, 1903.



Fitzgerald. (See page 25.)

SELECT PEACHES, continued

Mathews' Beauty. A large yellow Peach of the Smock strain, but of good quality; very showy and a valuable shipper. Beginning of August.

Millhiser. The parent tree was grown by M. Millhiser, Richmond, Va.; a large freestone Peach, ripening about October 1, and very fine, but it has not been satisfactory on our grounds.

Mountain Rose. A variety of very great value; very profitable for market, and is steadily growing in favor; fruit large, roundish; skin whitish, nearly covered with light and dark rich red; flesh white, slightly stained at the stone, juicy, sweet; separates freely from the stone. Ripens just after Troth's Early.

Oldmixon Freestone. Is a fine, large, productive variety, succeeding well in all localities and well deserving of the high favor in which it is held as an orchard variety; skin yellowish white, with a deep red cheek; flesh white, but red at the stone; tender, rich, excellent, indispensable. Middle of August.

Oldmixon Clingstone. Large, yellowish white, dotted with red on a red cheek; flesh pale white, very melting and juicy, with an exceedingly rich, luscious flavor; one of the most desirable clingstone Peaches. Middle of August.

Picquet's Late. This very valuable late Peach originated in Georgia and has been disseminated over a wide extent of country, and succeeds well generally. Fruit large and handsome; skin yellow, with a red cheek; flesh yellow, melting, sweet, and of the highest flavor. Ripens about with Smock.

Pendleton. A very large, rich, yellow Peach, double the size of the Heath Cling, and maturing from fifteen to twenty-five days later; unequaled in size, quality and flavor. For both canning and table use it equals the best of the September clingstones. Color rich deep yellow, slightly tinged with red; flesh yellow, tender, juicy, with a delicious flavor. Ripens at Richmond, Va., last of September. Origin, Richmond, Va.

SELECT PEACHES, continued

Rivers. (Early Rivers.) One of Rivers' seedlings, introduced from England; large, color pale straw, with a delicate pink cheek; flesh melting or rather dissolving, with a rich, racy flavor. Ripens ten days later than Early Beatrice. The best Peach of its season.

Red Cheek Melocoton. A famous old well-known and popular variety, extensively cultivated as a market fruit; fruit large; skin yellow, with a deep red cheek; flesh red at the stone; juicy, with a good rich, vinous flavor; productive; freestone. Middle of August.

Reeves' Favorite. Fruit large, roundish, with a fine red cheek; flesh deep yellow, red at stone; juicy, melting, with a good vinous flavor. One of the largest and handsomest Peaches; should be in every orchard. First of September.

Susquehanna. A very handsome and valuable Peach; originated on the banks of the Susquehanna river, in Pennsylvania; a great favorite wherever known; fruit of the largest size, sometimes measuring 12 inches in circumference; skin rich yellow, with a beautiful red cheek; flesh yellow, juicy, sweet, with a rich, vinous flavor; the best of all the yellow-fleshed Peaches; freestone; a moderate bearer. Aug. 25.

Salway. A large, late yellow freestone of English origin; handsomely mottled, with a brownish red cheek; flesh deep yellow, juicy, melting, rich; very productive; a variety growing more and more in favor with the orchardists. Ripens after Smock Free.

Smock Free. Rather large; yellow, with a red cheek; flesh yellow, red at the stone; very productive; not of high excellence, but valuable as a market variety. In the Delaware and Maryland Peach-growing district this variety is planted perhaps more extensively than any other sort, and large profits have been realized from it. It succeeds well in eastern Virginia, but west of the ridge is not so valuable. Middle to last of September.

Stump the World. Large; creamy white, with a bright red cheek; flesh white, juicy and high flavored; productive; one of the best market varieties. Ripens middle of August.

Sneed, or Peebles. The earliest Peach grown; medium to large; straw-color, with red cheek; ripens eight days before Alexander; has matured its fruit where the above variety rotted on the same soil. Very hardy and seldom fails.

Tennessee Everbearing. W. T. Nichols, of Obion county, says of this variety: "The parent tree is said to have produced its first crop about 1888. The tree ripens fruit continuously from about Aug. 1 to Oct. 1. The best specimens on the

parent tree at twelve years old measured 12 inches in circumference. Skin creamy white, with a deep blush in the sun; clingstone." A variety that will bear on one tree fruit for two months, having during all that time ripe fruit to be gathered, is one that every lover of fruit will desire on account of its novelty.

Thurber. Large; skin white, with light crimson mottlings; flesh very juicy, of exceedingly fine texture. A seedling of Chinese Cling, which it resembles in size and beauty, but perfectly free.

Triumph. This new Peach bids fair to be the greatest acquisition yet introduced. A yellow Peach, ripening so early, and a freestone, is a wonder of the age. Mr. J. D. Husted, of Spaulding county, Ga., the originator, describes it as follows: "Very attractive in appearance; flesh yellow; seed small; has been sent through the mails to different parts of the United States, arriving in good order. Testimonials from ten of the largest Peach-growers scattered in Georgia, New Jersey, Ohio, Connecticut and Michigan, pronounce it a bonanza."

Troth's Early. A very early and excellent Peach of medium size; whitish, with a fine red cheek; flesh juicy, sweet and very good; one of the most popular and profitable varieties for early marketing. Middle of July.

Wheatland. An extensive fruit-grower says: "It is the largest, hardest, best, most productive and handsomest of its season—filling a gap just before Crawford's Late, which it excels. Though crowded on the tree the fruit was all large."

Waterloo. A seedling; originated in Waterloo, N. Y.; size medium to large, good specimens measuring 9 inches in circumference and weighing five ounces; form round, with a deep suture on the side; color pale, whitish green in the shade, marbled red, deepening into dark purple-crimson in the sun; flesh greenish white, with abundance of sweet, vinous juice; adheres considerably to the stone, like Hale's Amsden, etc. Ripens with Amsden.

Wonderful. Originated in New Jersey, described by the introducer; size large to very large, best specimens from crowded trees measuring 11 inches in circumference and weighing as many ounces; smooth, almost globular; very regular and uniform in size and shape; color rich golden yellow; flesh yellow, high-flavored, firm; very free. Ripens in October.

Yellow St. John. (Plater's St. John.) A large, roundish, yellow freestone, ripening a little before Troth's Early; skin orange-yellow, with a deep red cheek; flesh yellow, juicy, sweet and high flavored.

Select Plums

The Plum will grow vigorously in almost every part of this country, but it bears its finest and most abundant crops in heavy loams, or where there is considerable clay; it will bloom and set a fine crop in a sandy soil, but in such soils it generally falls a prey to the curculio, and drops prematurely. There are, however, some varieties that succeed very well in such situations.

The Curculio, a small, brown insect, commences its depredations on this fruit as soon as it has attained the size of a pea, and continues its course of destruction until the crop is matured. It makes a small, crescent-shaped incision in the fruit, and lays its egg in the opening; the egg hatches into a worm, which feeds upon the fruit, causing it to fall prematurely. The only preventive that is known to succeed with any degree of certainty is to place a white sheet under the tree early in the morning, when cool, and by jarring the tree suddenly the insect falls upon the cloth, and, being stiff, can easily be caught. By commencing this as soon as the fruit is formed, and continuing it daily for about three weeks, you may be able to save a good crop.

Exemption may not be secured from black fungus or knot, but if branches affected are carefully removed and burned, and the wounds, caused by removal of branches, be well saturated with kerosene oil and the trees are given careful cultivation, the injury to the trees will not be great.

EUROPEAN AND NATIVE VARIETIES

Coe's Golden Drop. One of the largest, most beautiful and valuable of late Plums; light yellow; flesh yellow, firm, rich and sweet; adheres to the stone; productive. Last of August.

French Damson. A variety said to be better than Shropshire; has not fruited with us; purple.

German Prune. A valuable Plum of fair quality for the table but most esteemed for drying and preserving; fruit long and oval; skin purple, with a thick blue bloom; flesh firm, green, sweet and pleasant; separates from the stone.

General Hand. Very large; skin deep golden yellow; flesh coarse, pale yellow; moderately juicy, sweet and good; tree grows vigorously and is very productive; separates from the stone. August.

Green Gage. Small, yellowish green; flesh pale green, melting, juicy, exceedingly sweet and rich. August.

Lombard. Medium size; skin delicate violet, dotted thick red; flesh deep yellow, juicy and pleasant; one of the hardiest, most productive and valuable Plums. Succeeds well everywhere, even on light soils. August.

Prince Englebert. Large; oblong, oval; skin very deep purple, sprinkled with brown dots and covered with a deep blue bloom; flesh yellowish green, juicy, sugary; separates from the stone; from Belgium; tree very vigorous; one of the best. July.

Reine Claude de Bavay. Large; greenish yellow, spotted with red; flesh rather firm, juicy, sugary, rich, of fine quality; adheres slightly to the stone; a vigorous grower, very productive, and a valuable addition to the late varieties. September.



Shipper's Pride. (See page 30.)

Shropshire Damson. An improvement on the common Damson, being of the largest size of its class; dark purple; highly esteemed for preserving; tree vigorous and enormously productive. September.

Spaulding. A fine grower, with large, rich dark foliage; fruit large, yellowish green; flesh firm, sweet and sprightly; said to be curculio-proof. Middle to last of August.

"I have been engaged with you for three years, as agent, and can say in all that time I have not found a dissatisfied customer. Your trees give entire satisfaction."—Wm. D. MILES, Walcott, Arkansas, July 30, 1881.

EUROPEAN AND NATIVE PLUMS, continued

Shipper's Pride. Large, round, purple; firm; excellent quality; a strong, upright grower and regular bearer; productive.

Wild Goose. Medium size; oblong; bright vermilion-red; juicy, sweet, and of good quality; cling; productive, and nearly proof against the curculio. The most profitable variety for market in the South, and deserves more extensive planting there as well as in the middle states. July.


Yellow Egg. A very popular fruit on account of its very large size and splendid appearance; its slight acidity renders it valuable for preserving; skin yellowish, covered with a white bloom; flesh yellow, adhering closely to the stone; rather acid until it becomes very ripe. Last of July.

JAPAN PLUMS

This class of fruit is attracting the attention of all fruit-growers, and is remarkable for its beauty, size, productiveness and early bearing. The trees often bear at two years in the nursery row, and we think this fruit will supersede the European varieties in this latitude and the South.

Abundance, or Botan. It is as near curculio-proof as can be expected. Fruit large and showy; color amber, turning to a rich cherry color, with a white bloom; flesh light yellow, juicy, tender, sweet and excellent; stone small and parts readily from the flesh. One of the best Plums for canning. July.

Burbank. Fruit large, ranging from 5 to 5½ inches in circumference, nearly globular, clear cherry-red, with a thin lilac bloom; flesh a deep yellow, very sweet, with a peculiar and very agreeable flavor; tree vigorous, with large and rather broad leaves; commences to bear usually at two



Hale.

years old. Middle to the last of August

Climax. One of Burbank's latest, and he claims is one of his best. Burbank calls the Wickson the queen of Plums, and the Climax the king of Plums. Fruit heart-shaped, larger than Wickson, more highly colored; very fragrant, very delicious; prolific and a vigorous grower. Ripens a month earlier than Wickson and almost with the Red June Plum. Very large, specimens measuring 2¾ inches in diameter. We especially recommend this variety.

Gold Plum. Fruit beautiful; a rich golden color, with deep red blush; good bearer and keeper; plant in dry, thin or clay soils.

Kelsey's Japan. Large to very large, heart-shaped; rich yellow, nearly over-spread with bright red, with a delicate bloom; flesh firm, melting, rich and juicy, with remarkably small pit. We think it should only be planted South.

Hale. \$500 was paid for the control of the original tree. This is the latest and greatest production of Luther Burbank's genius, and presents some most unique and desirable special features. The tree is the most vigorous in growth of all the Japan Plums; fruit large; bright orange, mottled with cherry red; ripe in mid-September. Its season of ripening, great size and beauty will make it the most profitable of all Plums in market.

The Dixie. Earliest Sweet Plum. Very valuable. Not as rapid a grower as most Japan sorts, nor did it bear as young as is common with Japan varieties. Still it bears full crops and is a delicious Plum; not large, but handsome, and of first quality; sweet and delicious. Ripens here last of May, right along with Gandy strawberries. Stock limited.


Ogon. It is large, nearly round; of the brightest golden yellow; flesh firm, sweet, rich and dry; ripens a little earlier than Abundance or Botan, and is the most free of all Plums, as there is not a particle of flesh that adheres to the stone when broken or cut open. It seldom, if ever, fails to produce a large crop of fruit. The tree is vigorous and entirely hardy.

Red Damson. This is a valuable fruit, ripening later than Shropshire Damson. For jelly and preserves it has no superior among Damsons. It comes into bearing the second year after transplanting, and bears annually heavy crops. Have a tree that has borne every year for the past fifteen years; no room for more fruit on the tree every other year, and a fair crop the next ensuing. The tree is a strong, robust grower, making quite a large tree. When in bloom it is one mass of white flowers, without a leaf; later it is clothed with broad, dark green foliage. It is really a beautiful tree, free from black knot or any other disease.



THE CLIMAX PLUM

One of Burbank's latest, and he claims is one of his best. Burbank calls the Wickson the queen of Plums, and the Climax the king of Plums. Fruit heart-shaped, larger than Wickson, more highly colored; very fragrant, very delicious; prolific and a vigorous grower. Ripens a month earlier than Wickson and almost with the Red June Plum. Very large, specimens measuring $2\frac{3}{4}$ inches in diameter. We especially recommend this variety.



Burbank. (See preceding page)

JAPAN PLUMS, continued

Red June. New. Fruit medium to large, late and very prominently elongated; apex suture deep, generally lopsided; deep vermilion-red all over, with a handsome bloom; very showy; flesh light lemon-yellow or whitish, firm and moderately juicy, not stringy, slightly subacid to sweetish; of good, pleasant quality; cling to half cling; pit small. Tree vigorous and productive.

Satsuma Blood. A purple-fleshed Plum of very vigorous growth, with rank, dark green foliage; enormously productive of fruit; large; skin dark purplish red, mottled with bluish bloom; shape globular, or with a sharp point; flesh firm, juicy, dark red or blood-color, well flavored, firm, quality very good; pit very little larger than a cherry-stone; fruits at two or three years of age. Considered by some to be the most valuable of Japan Plums. With us the trees have bloomed too early, and the past season is the only one in which they have fruited, while Botan and Ogon have fruited three out of four years.

Simons' (*Prunus Simonii*). This variety is from China. Perfectly hardy and very productive, commencing to bear when two or three years from the bud. Fruit deep rich red color, somewhat flattened, and has a little of the appearance of a dark red tomato, and with a peculiar aromatic flavor. We do not recommend this variety for market. The trees are very distinct,

growing upright like a Lombardy poplar. Middle of August.

Willard. Another new Japan Plum, similar in color and appearance to the Abundance, but ripens a month earlier; earlier than Wild Goose and the European varieties. Mr Willard says: "The only thing to recommend it is its earliness."


Wickson. New cross-breed Plum by Luther Burbank, which he sent out in the spring of 1895. Mr. Burbank says: "Among the many Japan Plums which I have fruited this one so far stands pre-eminent in its rare combination of good qualities. The tree grows in vase form, sturdy and upright, yet as gracefully branching as could be desired, and is productive to a fault. The fruit is evenly distributed all over the tree, and from the time it is half grown until a few days before ripening is of a pearly white color, but all at once soft pink shadings creep over it, and in a few days it has changed to a glowing carmine, with a heavy white bloom; the stone is small and the flesh is of fine texture, firm, sugary and delicious, and will keep two weeks or more after ripening, or can be picked when hard and white, and will color and ripen almost as well as if left on the tree."

Yellow Japan. Fruit large, nearly round; skin yellow, washed with red on sunny side; flesh yellow, juicy and of good quality; tree vigorous, resembling Kelsey in growth, but with larger leaves. It is named Yellow Japan, although a red Plum.



Wickson.

"I have been selling your nursery stock for five or six years and can truthfully say that your trees are first-class. I sell to the same people every season, if they need trees. People say that your trees are the best that have ever been sold. I bought 175 pear trees in the fall of 1903; they are all fine. Several nurserymen have written me and tried to secure my services. I have, however, decided to 'let well enough alone' and declined their offers."—H. A. LIVSEY, Frankford, West Virginia, July 16, 1904.



Napoleon Bigarreau. (See opposite page.)

Select Cherries

The Cherry succeeds on most soils and in nearly all localities throughout this country, but attains its greatest perfection upon those of a light, gravelly or sandy nature, provided it be in good condition. In planting the Hearts and Bigarreaus, avoid wet or damp situations. The Dukes and Morellos will bear more moisture, but will flourish best in a soil that grows the others to the greatest perfection.

HEART AND BIGARREAU

Bigarreau, or Graffion. (Yellow Spanish.) Very large, often an inch in diameter; pale yellow, with a handsome, light red cheek to the sun; flesh firm, with a fine rich flavor. This variety, though not of the highest excellence, has become, from its great size, beauty and productiveness, a general favorite. July.

Black Tartarian. Very large, purplish black; half tender; flavor mild and pleasant; tree a remarkably vigorous, erect and beautiful grower and an immense bearer. June.

Black Heart. Rather above medium size; flesh tender, juicy, with a rich, sweet flavor; very productive. June.

Belle D'Orleans. A foreign variety; fruit of medium size; color whitish yellow, half covered with pale red; flesh tender, very juicy, sweet and excellent; tree vigorous and productive; a valuable early Cherry. May.

Coe's Transparent. Medium size; pale amber, red and mottled next the sun,

tender, sweet and fine; one of the best; tree vigorous and erect. Beginning of June.

Downer's Late Red. Rather large, light red, tender and juicy, slightly bitter before fully ripe. Tree a vigorous, erect grower and very productive. One of the best late Cherries.

Elton. Large, pointed; pale yellow, nearly covered with light red; half tender, juicy, rich and delicious; tree very vigorous, spreading and irregular. May and June.

Early Purple. An exceedingly early variety, ripening in May; fruit of medium size; color dark red, becoming purple at maturity; flesh purple, tender, juicy, with a rich and sweet flavor; indispensable as an early variety; productive.

Florence. Fruit very large, amber yellow, marbled and mostly covered with bright red; flesh amber color, very firm, sweet, rich flavor; hangs long on the tree, and will keep several days after gathering. Ripens in July.

HEART AND BIGARREAU CHERRIES, con.

Governor Wood. One of the best of Dr. Kirkland's seedlings, and deserves a place in every good collection; fruit large, skin light yellow, shaded with bright red; flesh nearly tender, juicy, sweet, rich and delicious; tree vigorous and productive. June.

Knight's Early Black. Large, black; a very juicy, tender and excellent early kind; tree quite vigorous and a good bearer. Middle of June.

Napoleon Bigarreau. A magnificent Cherry of the largest size; pale yellow, with a bright red cheek; flesh very firm, juicy and sweet; tree a vigorous, erect grower, and bears enormous crops. Profitable for marketing. June.

Rockport Bigarreau. Large, deep brilliant red; flesh rather firm, juicy, sweet, rich, with an excellent flavor; a very desirable and profitable Cherry. Beginning of June.

Schmidt's Bigarreau. This noble Cherry was introduced into England from Belgium by Mr. Rivers, and is by far the largest of all black Bigarreau Cherries. Fruit grows in clusters and is of large size, round and somewhat oblate; the skin is of a deep black color; flesh dark, tender, very juicy, with a fine, rich flavor. The stone is very small for the size of the fruit.

Windsor. The tree is vigorous, hardy and an early and good bearer; the Cherries are obtuse heart-shaped, dark purple or nearly black, the flesh quite firm, fine in texture and rich in flavor; ripens early.

DUKE AND MORELLO

The Dukes and Morellos are not so vigorous and upright in their growth as the Hearts and Bigarreaus, forming low, spreading heads, with acid or subacid fruit.

Dyehouse. In hardiness and general appearance resembles Early Richmond, but is of finer quality and several days earlier; it produces very regular annual crops; fruit medium; skin bright red, darkened in the sun; flesh soft, juicy, tender, sprightly subacid, rather rich; partakes of both the Morello and Duke in growth, wood and fruit; it is very productive. We consider it superior to Early Richmond.

English Morello. Above medium size; skin dark red, becoming nearly black; flesh juicy, subacid, rich. July.

Early Richmond, or Kentish. Medium size, red; flesh melting, juicy, and, at

maturity, of a rich acid flavor; very productive; fine for cooking. Commences ripening last of May and hangs long on the tree.

Late Duke. Large; light red; flesh pale amber, subacid; desirable as a late Cherry; productive. Ripens gradually from the middle to the last of July.

May Duke. Medium size; dark red; melting, rich and juicy; an old and popular sort; ripens after Early Purple Guigne.

Montmorency Large-fruited. Fruit large and the finest flavored of any in this class; tree a very free grower, hardy and prolific.

Montmorency Ordinaire. A beautiful, large red, acid Cherry; larger than Early Richmond and fully ten days later; very prolific and hardy; a variety of great value; tree a free grower.

Olivet. Large, very shining, deep red, tender, rich and vinous, with a very sweet, subacid flavor. It ripens in May or early June.

Ostheim. (Russian.) Rather slender grower; very hardy; fruit of good size and quality; trees are very productive.

Reine Hortense. A French Cherry of great excellence; large; bright red; flesh tender, juicy, very slightly subacid and delicious; tree vigorous and productive; one of the very best Cherries. Last of June.

Wragg. Supposed to hail from North Germany; a good grower and an immense bearer; quite late and a valuable Cherry.



Early Richmond.

"Shipment (1,000 Elbertas) received. It was the prettiest lot of trees ever received by me."—J. R. CANTELOU, Montgomery, Ala., March 31, 1904.

SELECT APRICOTS

This beautiful and excellent fruit needs only to be known to be appreciated. It ripens a month or more before the best early peaches and partakes largely of their luscious flavor. The tree is even more hardy than the Peach and requires about the same treatment. To make a crop more certain, plant on the north or west side of a wall, fence or building.

Breda. Small, round; dull orange in the sun; flesh orange-colored, juicy, rich, vinous and high-flavored; tree very hardy and productive. July.

Early Golden. (Dubois' Early Golden.) Small; pale orange; flesh orange, juicy and sweet; tree hardy and productive. Last of June.

Large Early. Large size; orange, with a red cheek; flesh sweet, rich and juicy; separates from the stone; tree vigorous and productive; one of the very best of the early sorts. Last of June.

Moorpark. One of the largest and finest Apricots; yellow, with a red cheek; flesh rather firm, orange, parting from the stone; sweet, juicy and rich, with a luscious flavor. July.

Peach. Very large; yellowish orange,

and mottled with dark brown to the sun; flesh rich yellow, juicy, with a rich, high flavor; productive. First of July.

IMPROVED RUSSIAN VARIETIES

Alexander. An immense bearer; fruit of large size; oblong; yellow, flecked with red; flavor sweet and delicious; tree hardy; one of the best. July 1.

Alexis. Large to very large; yellow with red cheek; slightly acid, but rich and luscious; tree hardy and abundant bearer. July 15.

J. L. Budd. A hardy, strong grower and profuse bearer; large white, with red cheek; sweet, juicy, extra fine, with a sweet kernel as fine-flavored as the almond; the best late variety and a decided acquisition. August.

SELECT NECTARINES

The Nectarine requires the same culture, soil and management as the peach, from which it differs only in having a smooth skin, like the plum.

SELECT QUINCES

The Quince is attracting a great deal of attention as a market fruit. Scarcely any fruit will pay better in the orchard. The tree is hardy and compact in growth, requires but little space, productive, gives regular crops, and comes early into bearing. The fruit is much sought after for canning for winter use. When put up in the proportion of about one quart of Quinces to four of other fruit it imparts to them a most delicious flavor.

It flourishes in any good garden soil, which should be kept mellow and well enriched. Prune off all the dead and surplus branches, and thin out the fruit if bearing too freely.

Champion. This variety originated in Georgetown, Conn.; said to be larger than the Orange; fair, smooth, of fine quality and a late keeper.



Champion Quince.

Meech's Prolific. A new variety recently introduced by Rev. W. W. Meech, of Vineland, N. J. The late Charles Downing says: "It is certainly a promising variety, and if it proves as good in other localities, and continues its present good qualities of fair fruit and good size as the specimens you sent me, it will be an acquisition to the Quince family."

Orange, or Apple. Large, roundish, with a short neck; color light yellow; tree very productive; this is the most popular variety in the country; a great bearer. Ripens in October.

Rea. (Rea's Seedling.) A variety of the Orange Quince, one-third larger, of the same form and color, fair, handsome; a strong grower, of good quality, and bears well.

MULBERRIES

This fruit is getting very popular, especially South, where it is fine food for hogs and poultry. The trees are also fine for shade, as it grows rapidly and is very hardy.

Downing's Black. Fruit very large, black and subacid; mostly planted North. Fruit about June 1 to middle of July.

Hicks', or Everbearing Black. This variety is very popular South, as the tree is a very rapid grower, bears very young and has a long season, very often from June 1 until the middle of August. Very sweet.

New American. This we consider equal to Downing's in all respects, continuing in bearing fully as long and a hardier tree. Fruit jet-black.

Russian. Brought from Russia by the Mennonites. Tree a very hardy and rapid grower; fine as a shade tree; bears very young and very heavily, but the fruit is of very little value.

Teas' Weeping. Forms a perfect umbrella-shaped head, with long, slender branches drooping to the ground, parallel to the stem; very hardy. One of the prettiest small weeping trees. Admirably adapted to lawn planting.

White English. Fruit very small and sweet, but not as good as Hicks'.

JAPANESE PERSIMMON

In our last edition we did not recommend this fruit. At that time they were most all imported from Japan, and the trees were very rough and unsatisfactory to deliver and sold at a very high price. Since then we have been buying strong one-year-olds from the South and transplanting in our nurseries, and where sold have been very satisfactory. We do not advise planting for our latitude, except in protected places, and the ground should be well manured in the fall several feet around the tree. If there should be a very hard winter, and they should be killed back, they will sprout up from the ground, and with care will make satisfactory trees, although there will be no trouble where the thermometer does not fall below zero. There is a tree at Baltimore that has been planted from ten to twelve years, and is over 12 feet high, that has been bearing annual crops ever since the second year of planting. The tree last fall was as full as we have ever seen an apple tree with apples. One cluster, not over twelve inches in length, had twelve as large as hen eggs.

Among, or Yemon. (Name of a Japanese ornament.) Round, flattened, deeply ribbed; dark orange-red and sometimes yellowish red; $2\frac{1}{2}$ to 3 inches in diameter; average weight 6 ounces, and occasionally a specimen weighing 16 ounces is produced; very sweet; flesh red, and is edible while still solid, but quality improves as it becomes soft. Maturity September to end of November. Tree of moderate height.

Hiyakume. (Weighs 100 "me.," a unit of Japanese weight.) This is perhaps the most desirable of all the round, red-fleshed varieties, and as the fruit affects various shapes, it is known under many names, such as Pound, Tane-nashi, or Seedless, etc.

Yedo-Ichi. (No. 1, or best in Yedo, latter being the old name of Tokio.) Syn., Maru-Gata (round shape). Medium, round, some specimens slightly oblong, flattened at base and narrowing at apex; skin dark red, often with black mottlings near apex; flesh mahogany brown, with darker spots, brittle and is edible while solid as early as October 1; very prolific and bears fruit in large clusters. Tree an upright grower.

Zenji, or Zinji. (Name of Japanese villages.) Small, $1\frac{3}{4}$ x 2 inches; weighs 3 to 4 ounces; flesh dark brown, with darker spots; very sweet; edible as early as middle of September, while still solid, and lasts throughout October. One of the most desirable.

"I have had seventeen years' experience in trying your nursery stock. It has been fully tried and I find none to equal it. Too much cannot be said in favor of the stock sent out by you."—J. M. ROBINSON, Woodford, S. C., July 19, 1904.

"Having handled your stock for six years and being thrown in contact with agents and nursery stock from other concerns, I can conscientiously say that none can compare with your trees, either in grade or prices. Trees sent out by you are now in bearing in Princess Anne and Norfolk counties, Virginia, and Currituck county, North Carolina, and purchasers are satisfied in every particular."—REV. W. S. MERCER, Norfolk, Va., July 19, 1904.

"I have purchased through your agent, Mr. T. W. S. Foley, two lots of stock, and I want to say that the same has been satisfactory in every respect. I used to think, and have often heard the remark made, that stock brought from the South to this climate would not thrive. I have found that this is all a mistake, and I would not purchase stock from any one else."—F. E. SHILLINGBURG, Gorman, W. Va., July 26, 1904.

Select Grapes

The vine comes quickly into bearing, yielding fruit usually the third year after planting, but sometimes in the second; requires but little space, and when properly trained is an ornament to the yard, garden or vineyard.

It is stated by some of the most eminent physiologists that among all the fruits conducive to regularity, health and vigor in the human system, the Grape ranks number one. We hope soon to see the day when every family shall have an abundant supply of this excellent fruit for at least six months in the year.

The soil for the Grape should be dry; when not naturally so should be thoroughly drained. It should be deeply worked and well manured, always bearing in mind that it is an essential point to secure a warm, sunny exposure.

The best Grape-vine trellis is probably the wire trellis. This is constructed by planting posts as far apart as you choose to have the length of your trellis; stretch the wires, four in number, about eighteen inches apart, letting them pass through stakes at proper distances from each other to support the wire. As the wires are contracted by the cold, and are likely to break or sway the posts from their places, they should be loosened as cold weather approaches. When, however, it is not convenient to make a wire or other trellis, very good results are had with the old vineyard system of training to stakes. The vines are planted 8 feet apart, in a place exposed to the sun and protected from cold winds, if convenient, and are trained to an upright stake. This method is as simple as the cultivation of Indian Corn. Often a large and uncomely rock may be converted to usefulness and beauty by planting a Grape-vine on its sunny side, and making use of the rock as a trellis.

To secure the best results, annual and careful pruning is essential. The following is regarded as the best method: Commencing with a good, strong vine, such as we furnish, permit it to grow the first season without pruning. In November or December following cut back the growth, allowing but three or four buds to remain. The following spring allow but two of the strongest buds to throw out shoots. These, in the fall, will be from 7 to 10 feet long, and should be cut back to within 4 or 5 feet of the root. The next spring the vine should be fastened to the lower part of the trellis. When growth commences, pinch the buds off, so that the shoots will be from 10 to 12 inches apart. As these grow, train them perpendicular to the second, third and fourth bars of the trellis. No fruit should be allowed to set above the second bar of the trellis.

During the season when the shoots have reached the upper part of the trellis they may be pinched, to prevent further growth. After the fruit is gathered and the vine has shed its foliage, the cane should then be cut back to two buds. The following spring allow but one bud to throw out a shoot, and treat as in the previous year. This system of pruning should be followed each year. After the vine has undergone the fall pruning it may be laid upon the ground and covered with boughs, to protect it through the winter. Grape-vines should be top-dressed in the spring.

Grapes may be kept through the winter, and even all the year, in small boxes holding three to five pounds, if placed in a cool, dry room, of even temperature, or they may be spread out to dry for two days and then laid in market baskets, and suspended in a cool, dry cellar.

Few things pay better than a good vineyard. In 1879 the Virginia Nursery planted one and one-quarter acres of Concord. In 1881 these vines bore a fair crop, which increased each year until, in 1884, the sales from the one and one-quarter acres, at the low price of three cents per pound, gave a net profit of \$400. We could give other similar instances which show the enormous profit in Grape-growing.

The following list contains the best known sorts of the hardy American varieties:

- | | |
|---|--|
| <p>Agawam. (Rogers' No. 15.) Bunch large and compact; berries large, dark red; flesh tender, juicy and rich; one of the best of Rogers' Hybrids.</p> <p>Brighton. Bunch large, rather irregular; berries above medium, round, dark red; quality best. Ripens early.</p> | <p>Campbell's Early. Vine strong, vigorous and very productive; clusters large and perfect; berries large, black, with a perfect bloom; skin thin; an admirable keeper and shipper; flavor rich, sweet, slightly vinous. In dessert quality it is unrivaled. Early September.</p> |
|---|--|

"In regard to your nursery stock, I must say that it is very fine. Every one of my customers give it great praise. They say your stock is larger and better grown, and shipped in better condition than any other nurseryman's they have ever seen. My customers say they never expect to purchase of any other nursery if they can get your trees. I am proud to say I have been with you fourteen years, and hope it may be so I can continue with you."—T. W. S. FOLEY, Mt. Storm, W. Va., July 18, 1904.

SELECT GRAPES, continued

Concord. There is no Grape in the catalogue so popular or planted so extensively as this. It succeeds well in almost all parts of the country, and although of northern origin, it is better here than in its native place. Vine a very vigorous grower and enormously productive; comparatively free from disease; bunches large, compact; berries large, round, black, with a blue bloom; a profitable market sort.

Catawba. Bunches and berries large; skin pale red; flesh juicy, sweet and highly aromatic; vine productive. September.

Clinton. Bunches small and compact; berries small, sprightly; when thoroughly ripe is a good table Grape and keeps well. Valuable for wine. A free, rapid grower and profuse bearer; good keeper.

Delaware. This Grape is now so well known as to need no commendation. Its earliness, hardiness and admirable sweetness have become so well known to the public to demand more said in its behalf; bunches medium size, compact; berries rather small; skin of a beautiful light red color; exceedingly sweet, sprightly, vinous and aromatic. Ripens in August.


Duchess. A new seedling from Ulster county, New York. Bunch medium to large, shouldered, compact; berries medium, round, greenish white; skin thin; flesh tender, without pulp; sprightly and rich.

Empire State. Another new white Grape of great promise; bunch large-shouldered; berry medium; skin slightly tinged with yellow; flesh tender, rich, juicy, sweet and sprightly; ripens a little after Hartford; vine a good grower and productive.

Eaton. Bunch large, compact; berries very large, round, black, covered with a thick blue bloom. In general appearance it resembles Moore's Early. Skin thick; juicy, with pulp. A large, showy Grape.

Hartford. A very popular and profitable early Grape; a vigorous grower and a good bearer; free from disease; fruit medium size, black; flesh sweet and soft. Early in August.

Ives. Bunch medium to large, sometimes shouldered, compact; berries medium, black; flesh sweet, pulpy and somewhat foxy; should hang some time on vine after it colors; hardy, vigorous, and bears well; deservedly becoming popular. Early.



Campbell's Early. (See preceding page.)

James. Berry of large size and good quality, black; vine very prolific. Commences to ripen about the first of August and continues till frost.

Jefferson. This is a magnificent Grape, but further trial must establish its worth. It is said to mildew badly in some localities; bunch large; very red. Late.

Lady. Originated in Ohio. Bunch medium size; berry about the size of Concord; light greenish yellow, covered with white bloom; flesh tender, sweet and pleasant. Early.

Lady Washington. Bunch very large, compact, generally double-shouldered; berry medium to large; color deep yellow, with a tinge of delicate pink where exposed to the sun, and covered with a thin white bloom; flesh soft, tender, juicy, sweet and very good. It ripens about with Concord.

Martha. This is one of the most reliable white Grapes yet known; bunch medium, compact, shouldered; berry white or greenish, turning to pale yellow when fully ripe; skin thin; flesh very sweet and juicy; a seedling of the Concord, and will take the same rank amongst white Grapes that its parent does amongst the black. A little earlier than Concord.

SELECT GRAPES. *continued*

Moyer. Originated in Lincoln county, Ontario, Canada, and seems to be a cross between the Delaware and some purely native variety. It ripens with the very earliest varieties, some three weeks before the Concord; not quite as high flavored, and without a trace of foxiness; very juicy and tender to the center; skin thin but tough, to which characteristic, in part, it owes its good keeping, handling and shipping qualities; bunches medium, about the same as Delaware, shouldered; the berries are a little larger and adhere tenaciously to the stem. The color is a rich dark red, even better than that of the Delaware. This Grape is sweet, tender, and good as soon as colored; very hardy, having stood 35 degrees below zero unprotected and unhurt. Neither the leaf nor fruit has ever been known to mildew, not even in seasons and places where everything around it was affected.

Moore's Diamond. A pure native; bunch large, compact; berry medium size; color greenish white, with a yellow tinge when fully ripe; flesh juicy; almost without pulp; quality very good; vine vigorous and productive.

Moore's Early. A seedling of the Concord, combining the vigor, health and

productiveness of its parent, and ripening a few days earlier than the Hartford; bunch medium; berry quite large; color black with heavy blue bloom. Its extreme hardness and size will render it a popular market sort.

Niagara. No Grape has been so strongly presented for public favor as this, and for a while it seemed as though it would merit all the praise bestowed upon it. The vine is remarkably vigorous and productive; bunch large, generally shouldered; berry large, roundish; color greenish white, turning to light yellow; skin thin but tough; flesh slightly pulpy, tender and sweet; has a decidedly foxy flavor before fully ripe which it pretty well loses at maturity. Ripens with Concord. In some vineyards it has suffered greatly from rot, and we are afraid this is a weakness that will be developed with age, but where it succeeds it will unquestionably be a very valuable sort.

Pocklington. A seedling of the Concord. Vine very hardy, healthy and productive; bunch large, generally shouldered; berry light golden yellow when fully ripe, quality good; ripens rather early. It is a good keeper and bears shipping well. It will probably take its place as a valuable standard Grape, being the largest and most showy white Grape of its type yet introduced.

Scuppernong. A southern Grape, too tender for a more northern latitude than Virginia; does not even succeed in Virginia much above the tide-water line, but southward it is quite hardy and valuable; vine a vigorous grower; requires no pruning; bunch small, loose, not often containing more than six berries; fruit large, round; skin thick, light green; flesh pulpy, juicy, sweet; produces enormous crops. Continues in season about six weeks.

Salem. (Rogers' No. 22.) Bunch and berry large; of a light chestnut color; skin thin; flesh tender; very sweet and sprightly, with a rich, aromatic flavor; vine vigorous and productive; ripens before Concord. One of the best and most popular of Rogers' Hybrids.

Wilder. (Rogers' No. 4.) Bunch and berry large; black; pulp tender; juicy, rich and sweet; vigorous and productive. Ripens with Concord.

Worden. Said to be a seedling of Concord, and is a slight improvement on that variety; ripens a few days earlier; bunch large and compact; berry large, black and of good quality; vine vigorous and productive.



Niagara.



North Star Currants.

Small Fruits

The small fruits, such as Strawberries, Raspberries, Blackberries, Gooseberries, Currants, etc., ripening from the first of June till fall, are everywhere capable of successful cultivation, and yield large returns at comparatively small expense. They should have a place in every garden. Since the introduction of self-sealing jars and cans, they can be had throughout the year almost as fresh as when gathered.

SELECT CURRANTS

Black Naples. Very large; black; valuable for jams and jellies; has a strong, musky odor.

Cherry. Very large; red; strong grower and moderately productive; fine for preserving, and a valuable market variety.

Fay's Prolific. This Currant has now been before the public a number of years, and we believe has pretty well sustained the claims of its disseminator, who says of it: "Color rich red; as compared with the Cherry Currant, Fay's Prolific is equal in size, better in flavor, containing less acid, and five times as prolific, and from its long, peculiar stem, less expensive to pick."

La Versailles. One of the largest and best Currants; an enormous bearer; red; flavor good; very similar to Cherry.

Lee's Prolific. A black variety of recent introduction, and perhaps the best of its class; earlier than Black Naples, with the

peculiar musky flavor of that variety; fruit large; very prolific.

North Star. This new Currant is of remarkably vigorous growth and wonderfully prolific; the stems of fruit thickly set average 4 inches in length. The fruit is very sweet and rich, a fine dessert fruit and unequalled for jelly. It is extremely hardy; bears early.

Pomona. Is a strong grower; hardy and very productive. Colored and very sweet; few and very small seeds. A very valuable sort.

Red Dutch. Larger than the common red and clusters much larger, and less acid; one of the best red Currants.

Victoria. A late variety, of rather large size; red; long bunch; productive.

White Grape. The best white Currant; bunch moderately long; berries large; very productive; less acid than the red Currants; fine for table.

White Dutch. Rather large; white; good.

GOOSEBERRIES

Until quite recently no interest has been felt in the cultivation of this fruit further than to grow a meager supply for home consumption, yet there are few crops that will yield as satisfactory returns; certainly none more certain with so little expense in cultivation.

Chautauqua. A supposed cross between the American and English varieties; is not so subject to mildew as the English



Gooseberries.

type. Bush stout and vigorous, having the usual complement of thorns; foliage large, glossy, dark green; berries large, often 1 to 1½ inches long; color pale yellow; sweet, but rather thin-skinned; very productive.

Downing. A seedling of the Houghton; an upright, vigorous-growing plant; fruit larger than its parent; color whitish green; flesh rather soft, juicy, very good; productive. Valuable market sort.

Houghton's Seedling. Rather small; pale red; flesh tender, juicy, sweet and pleasant; produces enormous crops; free from mildew. Most profitable market variety.

Red Jacket. As large as the largest. Berry smooth; very prolific and hardy; quality and foliage the best. For seven years it has stood close to Triumph, Crown Bob, White Smith, Smith's Improved, Downing, and a dozen other (English) sorts; and while all these have mildewed more or less in leaf and fruit, mildew has never yet appeared on Red Jacket.

Smith's Seedling. A new variety grown from seed of the Houghton; more vigorous and upright in growth of plant than its parent; the fruit is larger and somewhat oval in form; light green flesh, moderately firm, sweet and good; shy bearer.

Triumph. Very large size, light green to yellow in color, and of excellent quality.

RASPBERRIES

Both red and blackcap Raspberries are very easily grown. Blackcaps should be planted in rows 3 x 7 feet and the red 3 x 6 or 5 feet each way, and if particular in planting to work both ways will cost very little for cultivation. They will do well on most any good, well-drained soil, and the richer the better. One of our gardeners near Richmond received from one acre of Cuthbert, season of 1894, \$405 at wholesale price.

Cuthbert. (Queen of the Market.) Canes strong, upright, very vigorous, sometimes branching; foliage luxuriant; fruit large to very large, red; moderately firm, with high, sprightly flavor; very productive. Its many valuable qualities render it desirable for home or market culture. It succeeds well generally, and is almost the only one that can be relied on in the cotton states. We commend it to planters in all sections.

Columbian. An improvement on Shaffer's, which it resembles, but the berry is firmer; adheres to the bush much longer and retains its shape better, both on the market and for canning; bush a strong grower, attaining a very large size; one of the hardiest, and wonderfully prolific; unexcelled for productiveness, and stands at the head for canning, making jam, jelly, etc. Fruit very large, dark red.



Miller Red

RASPBERRIES, continued

Cumberland. A black Raspberry; large berry; hardy, firm and productive. It is a strong, vigorous grower, and fully equal to the Gregg. We have not fruited it yet.

Gregg. This is one of the largest, if not the largest, of the Blackcap family; fruit large, black with a slight bloom; flesh quite firm, moderately juicy, sweet and rich; the fruit ripens late and very evenly, making the picking season short; it is a very strong grower and good bearer; very desirable.

Golden Queen. A seedling or "sport" of the Cuthbert, and in hardiness and vigorous growth of plant resembles that variety; fruit of large size; color beautiful yellow; flavor excellent.

Kansas. Strong, vigorous grower, standing extremes of drought and cold, and bearing immense crops; early, ripening just after Palmer; berries size of Gregg, of better color; jet black and almost free from bloom; firm, of best quality; presents a handsome appearance and brings highest price in market. Every planter who wants a prolific, hardy, early berry of immense size, handsome appearance and superb quality should plant it.

Miller Red. This new red Raspberry originated in Sussex county, Delaware, and is very popular with a few fruit-growers in that section who have preferred to market the fruit rather than sell the plants. Berry is as large as Cuthbert, holding its size to the end of the season; round in shape; color bright red, does not fade, but will hold its color after shipment longer than any other red variety; core very small; does not crumble, making it the firmest and best shipping berry in existence; has not the flat taste of some varieties, but a rich, fruity flavor, entirely its own. The time of ripening is with the very earliest, the first picking being with Thompson's Early, June 11; the Miller producing double the quantity of berries at each picking that Thompson's did, in the same field under the same conditions, continuing until August 3.

Munger. Description of introducer: "The fruit of Munger is black and resembles Gregg very much. It is a better flavored berry than Gregg, tougher in texture, and therefore a better shipper. In size it excels Gregg by almost 25 per cent, being extra fine for canning and evaporating. Its season of ripening is from five to eight days later than Gregg, and has a special faculty of withstanding drought and hot sun. The past season, when most others were dry and seedy, Munger ripened up sweet and juicy, and readily brought an advance of 50 cents per bushel over other kinds. The canes, too, resemble Gregg, are free from disease, upright in growth and have never yet been affected by the cold of winter."

Ohio. This berry is one of the most profitable for evaporating on the list at the present day. The fruit is of medium size, but very sweet; one of the best for table use. We think it ahead of the Gregg for family, as it is not so seedy. We recommend it as one of the very best.

Souhegan. Cap. A week or ten days earlier than Doolittle; strong grower; very hardy; fruit large, jet black; handsome. One of the very best of the caps.

Thompson's Early Prolific. Red. For earliness, hardiness, vigor, beauty and quality it is unsurpassed. It is a vigorous grower, canes 4 to 6 feet high; very healthy foliage; very productive of large, bright red, firm berries of good quality.

The Japan Wineberry. After fruiting this two years, we have come to the conclusion that it is not only a very attractive novelty, but also a valuable acquisition to the berry family. The bush is unlike any other, is very ornamental and as hardy as a rock, living through the winter of last year without any covering whatever. The fruit is formed and enclosed until ripe in burs, resembling moss-rose buds, but when ripe the burs open and expose the berries to view. The berries are of good size and attractive, light wine color, each one shining like a diamond. The flavor is sprightly and delicious. It will delight all.



Erie Blackberries

SELECT BLACKBERRIES

Should be planted in rows 6 to 7 feet apart, 3 to 5 feet in the rows. Keep the ground light and rich. Pinch the canes back when they have reached 4 feet in height

Eldorado. A description by the introducer: "Like many of our best fruits, Eldorado is an accidental seedling and takes its name from the town close by where it was found, in Preble county, Ohio. It has been cultivated twelve years, and under careful test at different experiment stations for four years has never winter-killed or failed to produce a full crop of the finest fruit. The vines are very vigorous and hardy, enduring the winters of the far Northwest without injury, and their yield is enormous. The berries are very large, jet black, borne in large clusters, and ripen well together; they are very sweet, melting and pleasing to the taste, have no hard core, and keep for eight or ten days after picking with quality unimpaired.

Erie. For four years we have been growing this new berry, and it is the most vigorous and healthy plant of any Blackberry we have ever grown, and thus far absolutely hardy. Very productive of berries of the largest size, coal-black, firm and solid, and sells in the market at highest prices; fine form and ripens early. Is being extensively planted both in family and market gardens.

Early Harvest. One of the earliest, if not the very earliest Blackberry yet introduced, ripening two weeks before Wilson's Early; berry medium size, good

quality and very prolific; it is firm and very attractive in appearance. A good market sort.

Iceberg. A new white Blackberry; was originated by Luther Burbank; clusters large; berries as large, earlier, sweeter and more tender throughout than the Lawton; white; transparent.

Lucretia. This is a trailing Blackberry, or Dewberry; a good grower and productive; fruit large and of good flavor.

Snyder. The one great Blackberry for market in the far North, as it is the most vigorous, hardy, productive and reliable of all; has never been known to winter-kill, even in the Northwest, with 25 to 30 degrees below zero. Fruit of medium size and good quality; ripens medium to late.

Wilson's Early. A well-known and most valuable sort; it is of very large size and very productive, ripening its fruit quite early and maturing the whole crop in a short time, adding thereby greatly to its value as a berry for early marketing. There has been more fruit grown of this variety during the last twenty years than all other sorts combined.

Wilson, Jr. A seedling of Wilson's Early; said to inherit all the good qualities of its parent, besides being large and earlier. Probably the best early Blackberry yet introduced.

"Enclosed find check to cover bill. Trees are satisfactory and am pleased with them. Thanks."
C. J. FRENCH, Coakley, Va., April 6, 1901.

STRAWBERRIES

We think there is no fruit that is more healthful and will give better satisfaction. No home or garden should be without them, and should have fresh berries from three to five weeks. Strawberries should be planted either in the fall or spring. We have better success in planting in early spring, although we plant up to the time that berries are nearly ripe and we always succeed. Before planting we clip the roots off, and if it is late in the spring we cut all foliage off and dip roots in a thin puddle of mud before planting. When we used to grow Wilson largely for market we planted with rows 3 feet apart and 12 to 15 inches in the row, but since we have been growing strong varieties, as the Tennessee Prolific has proved to be, we plant rows 4 feet apart and 3 feet apart in the rows, and on good land we find it plenty close. While any land that will grow good corn will grow good Strawberries, it will pay to have or make the land very rich before planting. It takes no more work for an acre to produce 150 to 200 bushels than 25 to 50 bushels.

Strawberries are a fruit that we have never made a failure of. If we should have late frosts that cut off the first blooms, there will always be a later bloom and you are always sure of half a crop of berries.

In the list that we present to you they have nearly all been well tried by us, but we do not advise you to plant many varieties, as any two or three will give you all you wish for home use, and, as a market berry here, we would plant only the Tennessee Prolific.

The blossoms of most varieties are perfect or bisexual, except those marked P., which are destitute of stamens, and are termed pistillates or imperfect flowering varieties. They must be planted near some perfect-flowering sort or they will produce little or no fruit. Crescent, Bubach, Haverland, Greenville and Crystal City are of this class, but are among the most productive when plants of such varieties as Charles Downing, Sharpless, Tennessee Prolific, Jessie and Lady Thompson, and other perfect-flowering sorts are planted in the same field alternately. At least every fifth row in a field of pistillates should be planted with some perfect-flowering sort, while, if as many of a perfect-flowering sort are to be planted, it is better to plant in alternate rows.

All bloom should be cut off as soon as it makes its appearance after spring planting, as it will weaken the plant very much to allow it to fruit the first season, and results will not be nearly as good as if cut off.

To grow fine berries they should be cultivated well from spring to fall, running a light cultivator after each rain, and also keep all weeds pulled out of rows. If the row is kept from 15 to 18 inches wide, and the plants thinned out in the rows, the result will be much larger and finer berries.

Bubach's No. 5. P. Combines many excellent qualities, such as great and uniform size, fine form and color, good quality of fruit, unsurpassed productiveness and great vigor of plant. It ripens almost as early as the Crescent, and continues about as long in bearing, and fully as prolific. Leaves large, dark green, and endures the hottest sun perfectly. Is taking the lead in many sections, and is one of the best large berries for home use.

Brandywine. Originated in Pennsylvania. The introducer claims it to be of large size, firm and of best quality, continues a long time in fruit, and the plants very strong, with perfect foliage.

Crescent Seedling. P. Fruit medium to large, roundish, conical; bright scarlet. It requires less time and attention than most varieties, and is well calculated for those who cannot and will not give the necessary labor to produce the better kinds.

Cumberland. (Cumberland Triumph.) Very large, regular and uniform in size;

light scarlet; very handsome; flesh juicy and good flavor; plant very vigorous and productive. It succeeds well almost everywhere. All things considered, this is one of the most valuable sorts, and is very popular with our Richmond fruit-growers.



Brandywine.



Lady Thompson Strawberry.

STRAWBERRIES, continued

Gandy. One of the latest berries we have. The berries are large, uniform in size, and of bright and firm color; very popular as a market variety, coming in when other varieties are run down and small. It is fine for home market.

Glen Mary. It is described by its introducer as follows: "The Glen Mary is a chance seedling, which originated with Mr. James A. Ingram, Chester county, Pennsylvania, an uncle of Mr. Edward T. Ingram, the well-known originator of the famous Brandywine Strawberry. In productiveness, it far surpasses the Crescent, not in number of berries, but in quarts. The season of 1895, one quarter of an acre picked at the rate of 1,280 quarts per acre at a single picking, and over 12,000 during the season. Medium to late. Perfect bloomer."

Haverland. P. Large, oblong; light red; fair quality; a great bearer. Plant very vigorous; recommended for home use.


Lady Thompson. Origin, North Carolina, and it has more good points than any berry ever grown, being very early, very large, a perfect bloomer and good shipper. It is of good color and fine flavor.

Meek's Early. Origin, Maryland. Perfect flower, fruit light-colored; very prolific; valuable on account of its extreme earliness.

Michel's Early. P. This is an accidental seedling, and the earliest and most profitable in cultivation; of the finest flavor; a perfect blossom; as large and firm as the Crescent, from ten to twelve days earlier, and as productive. Plant the hardiest of all known, and free from rust or blight.

Sharpless. This large, showy Strawberry originated with J. K. Sharpless, Catawissa, Pa. Fruit large to very large; bright scarlet, somewhat glossy; flesh light red, quite firm, moderately juicy, sweet, rich, and of very good flavor; medium to late in ripening; a most excellent sort for family use, and also a very profitable one for market.

Tennessee Prolific. A seedling of Crescent crossed with Sharpless, clearly showing parentage of both; perfect-flowering, vigorous, stocky plant, healthy in every way; very productive of medium to large bright scarlet berries of fine quality; ripens medium to early; is a fine market or family berry, thriving well on quite light dry soil.



Sharpless Strawberry.

FIGS

Brunswick. Very large; color violet; quality excellent; very reliable. Bears young, often fruiting in the nursery rows, and is very productive. One of the best known and most popular varieties.

Black Ischia. Medium; blue-black; good.

Brown Turkey. Medium; brown; sweet and excellent; very prolific. Most reliable for field culture.

Green Ischia. Green-crimson pulp; prolific.

Lemon. Medium to large, yellow, sweet; a profuse and early bearer; very desirable; pulp sweet and of excellent quality; trees of this variety have been known to yield twelve bushels of excellent fruit annually for many years in succession.

Nut-Bearing Trees

Our foremost enterprising fruit-growers are planting Nut Trees largely for market purposes; and others who enjoy the nuts during winter are realizing that in order to have an abundant supply it is only necessary to plant the trees, as hardy varieties are now grown that succeed in all sections of the United States.

Until recently Nut Trees have been but little grown in nurseries, and in consequence all transplanted trees have come from the forests or where they have come up and grown naturally, and having but little or no fibrous roots, their transplanting has been attended with much uncertainty, and the impression has been formed that they could not be transplanted, but that to insure success the seed must be planted where the tree is intended to stand, which is erroneous, and has deterred many from engaging in this profitable industry. Many of the nut-bearing trees, when grown in nurseries are well supplied with fibrous roots, and can be transplanted as safely as an apple tree, and the planter has the benefit of the three or four years' growth in the nursery over that of planting the seed, with the uncertainty of their coming up regularly, the time, care and attention required to get them properly started. We therefore advise our customers to always plant the trees, if they can be had, and save three or four years' time.

CHESTNUTS

Japan Mammoth. This valuable new nut is attracting widespread attention. It claims superiority over all others because it is larger, sweeter, better; bears young and abundantly; like all valuable fruits nowadays, it is necessary to graft to secure and maintain the most reliable kinds; the tree is dwarf in habit, hardy and ornamental. The winter of 1896 we imported 4,000 one-year grafted Chestnuts from Japan, and some of these trees fruited in the nursery the same year, and all we had left unsold fruited in 1898. We planted out another lot of 5,000 from Japan in the spring of 1898, and many of them fruited the same season. We find them very prolific in nursery. Small trees of 2 to 2½ feet, with twelve to fifteen burs, and with three to five large Chestnuts in a bur.

Spanish. A vigorous grower, and forms a handsome head for lawn planting; a valuable species, both for ornament and fruit. The fruit is much larger than the American variety; very sweet and excellent when boiled or roasted. Bears early.

American. The well-known native variety; a stately tree, with broader leaves than the European, and producing smaller nuts but a large quantity of them; both useful and ornamental. The timber is very useful for many purposes.

BUTTERNUTS

A handsome, rapid-growing, luxuriant, tropical-looking tree; very ornamental and productive; the nuts are somewhat like black walnuts, but longer and flat; the kernel is much sweeter and rich and more delicate; fine flavor.

WALNUTS

Japan. Produces in abundance nuts considerably larger than the common hickorynut, which are borne in clusters of 15 to 20. The shell is thicker than the shell of the English Walnut, which in a general way it resembles, but is not as thick as that of the Black Walnut. The meat is sweet, of the very best quality, and can be removed entire. The tree grows rapidly, and attains a very large size, with a magnificent spreading top.

English. A fine, lofty-growing tree, with a fine spreading head, and bearing crops of large and excellent nuts. The fruit in a green state is highly esteemed for pickling, and the great quantity of the ripe nuts annually imported and sold here attest to its value; the tree is peculiarly well adapted to the climate of the South, and deserves extensive cultivation.

American Black. This is the common native variety. The nuts are excellent and always desirable; besides, the wood is very valuable for many uses.

ALMONDS

Hard Shell. A fine, hardy variety, with a large plump kernel, and with large, showy, ornamental blossoms.

Soft, or Paper Shell. This is what is known as the "Ladies' Almond," or "Lady Finger of the Shops," and although preferable to Hard Shell, it is not so hardy; kernels sweet and rich.

ENGLISH FILBERT

The fruit of this being so much larger and better flavored than our native species, gives it the preference for cultivation over the latter in localities where it will succeed.

PECAN

The common wild native variety found in the South, produced from the seed; bears regular crops of medium size; very salable nuts and good. The trees grow very slow in the nursery until about three or four years, and after being planted out they grow very fast and make very fine large trees. Parties South are planting hundreds of acres of this sort and expect to make it a success.

Paper Shell. This is, indeed, the most valuable nut yet introduced; large, often

PECAN, continued

1½ inches in length; thin shell; the kernel is very large, rich, sweet and delicious. Enormous profits have been received from the culture of this nut; many thousand trees are being planted, and soon the nut industry, especially of the South, will be very large.

SHELLBARK

A species of the Hickory. The nut is small, rather flat, with thin shell; it is very rich, sweet and delicious; very desirable.

Esculent Roots

ASPARAGUS

There is not a more valuable vegetable for the home or market garden, both for health and profit, than this, and no garden should be without it. For home use, 100 roots, or one row 60 yards long, will furnish Asparagus for the table every day from the first of April until the 15th of June. If wanted for market or bleached for home use, plant in rows 6 feet apart and 18 inches to 2 feet in the rows.

PREPARATION.—For early production, choose a light land, and plant rows running north and south. Open out with plow, running both ways rows 6 feet apart, as deep as possible, and if not deep enough subsoil and dig out to 15 or 18 inches with spade or shovel; then fill in with well-worked manure to about 10 inches of the top; plant crown on top of manure and cover lightly with earth. Keep all weeds down first year, and at each working fill in a little soil, and in the fall cover with manure, and as soon as weather in the following spring will permit, ridge up as high as you can with double plow and rake off smooth with rake. Any crop that can be cultivated, such as corn or potatoes, can be grown between the rows.

Barr's Mammoth. A fine large sort, grown largely for the Philadelphia market, where it is a favorite. The stalks are often an inch in diameter, and retain their thickness nearly to the top.

Conover's Colossal. A standard kind of first quality; tender and high flavored.

Columbian White. This new variety, catalogued by seedsmen in 1895, is claimed

as being a very fine, vigorous grower, and producing white Asparagus without hilling up. We hardly think that it would be clear white unless hilled, but think it worthy of trial by all Asparagus growers.

Palmetto, or French. Southern origin; new; ten days earlier than other kinds; valuable for home or market; largest; tender; regular growth. One of the best.

RHUBARB, or PIE-PLANT

A very desirable vegetable; comes early in the spring. The large stems of the leaves are used for pie-making and stewing. It is also a paying crop for market, as it comes in when apples are scarce and high, and takes their place for tarts. It should be planted on very rich ground, and well manured every fall. It should be planted, for market purposes, 4 feet each way in the rows. There are several varieties grown, but we consider Myatt's Linnæus the best, and it is the only kind we grow. Myatt's Linnæus is an extra-early good variety; large and tender, with delicate flavor.

HORSE-RADISH

Every home garden should have Horse-radish. It is also a very profitable crop to grow for market. It should be planted in good, rich soil early in the spring. It is grown from small roots cut from 3 to 4 inches long, and planted about six inches from the top of the ground. It should be taken up in winter, and small side roots used for planting and large roots stored away for market.

"The trees which I got from your Nursery, through Capt. J. S. Coates, are satisfactory in every respect. They have thriven better and come into bearing sooner than any stock of trees in my experience. All my future orders for nursery stock shall be placed with you."—WATKINS L. WICKHAM, Montpelier, Va., July 29, 1904.



Sugar Maples and Teas' Weeping Mulberry.

Ornamental Department

While most people appreciate well-arranged and kept grounds, large or small, many fail to realize that they can have equally fine grounds. These have had a few shrubs or roses growing in thick turf, with no attention given to pruning or cultivating. Under such circumstances, good results cannot be expected.

Aside from the pleasure of having fine trees, shrubs, vines and flowers in the grounds surrounding a home, few realize how much these add to the commercial value of the place. A purchaser having to decide between a house with bare and unkept grounds, and one surrounded by fine ornamentals, invariably chooses the latter at a marked advance in price, because he sees that he will at once enjoy what it would otherwise take some years to secure. Sagacious men are led by a knowledge of these facts to plant fine trees and shrubs about vacant lots they are intending to put upon the market. Lots thus planted readily secure purchasers at good prices, when bare grounds go begging for buyers.

HOW TO PLANT

Do not make the mistake of planting at random all over the grounds. A fine, well-cut lawn is one of the handsomest features of a place. Trees may be planted along a lane or avenue leading to the house, or dotted about the lawn on lines radiating from the house. This will secure light and air, with good views from the house. Upright shrubs and roses should be planted in beds, each class by itself, about the borders of the grounds. These beds should be well cultivated and the plants annually pruned. When the growth of the plants has made them very thick, some should be taken out. It will not do to plant so little that years must elapse before a fine effect will be produced. A surplus should be planted at first, and this gradually be taken out. Vines should be planted near to and allowed to climb upon and about the house, or they may be trained on posts, arbors or stakes, placed in suitable locations on the lawn.

WHAT TO PLANT

A detailed list of desirable ornamental trees and shrubs would be little less than a recapitulation of our entire list; but few have room for all, we here present a list of the most desirable in each class and refer the reader to the proper place in the Catalogue for descriptions of them.

Flowering Trees. MAY—Magnolias in variety, Horse-chestnuts, Flowering Cherry. JUNE—Laburnum, Syringæfolia, Lindens in variety.

Trees Valued for their Form and Foliage. Cut-leaved Weeping Birch, Kilmarnock Willow, Weeping Mountain Ash, European Linden, White-leaved Weeping Linden, Norway Maple, Purple-leaved Beach, Teas' Weeping Mulberry.

Evergreen Trees. Norway Spruce, Scotch Pine, Chinese Golden Arborvitæ, Irish Juniper, American Arborvitæ, Silver and Balsam Firs, etc.

Upright Flowering Shrubs. APRIL—Japan Quince, Double-flowering Plum, Dwarf Double-flowering Almonds, Spirea, Lilacs in variety. JUNE—*Deutzia gracilis* and *D. crenata fl. pl.*, Snowball, Weigela in variety, Syringa, Calycanthus. JULY—*Spiræa callosa* and *S. callosa alba*. AUGUST AND SEPTEMBER—Althea in variety, *Hydrangea paniculata grandiflora*.

Roses. Climbing and Moss, blooming in May and June; Hybrid Perpetual and Perpetual Moss, blooming at intervals all summer, and tender Tea Roses, blooming constantly.

Deciduous Trees

We invite special attention to this select list of trees, so well situated to the lawn and yard, or as shade trees for streets in cities or towns.

BEECH

Purple-leaved. Foliage deep purple in the spring, but under our hot sun and in dry seasons it loses much of its color. For the northern states it is a very desirable tree.

CATALPA

This desirable and attractive tree is now widely known. It is planted for shade, also for its blossoms, and on account of its value as a timber tree. Whole tracts of land have been planted in the

West for this purpose, as it is a very rapid grower, and found to be very desirable for railroad ties, etc. "Massive in all its proportions, straight and rigid, it looks like a production of the tropical zone; yet it seems to be entirely hardy, with its immense leaves, sometimes lobed, velvety brown when they first appear, and changing into dark green, followed by immense panicles of flowers, containing sometimes between three and four hundred buds and blossoms, contrasting finely with its dark, massive foliage. It may be truly called a 'regal tree.'"

Bungei. One of the most attractive of trees. It forms a perfect half-globular or umbrella head, with foliage of a deep green color, and with great precision, making a beautiful roof of leaves. A most striking and ornamental tree upon the lawn.



Catalpa Bungei.

"Having sold and delivered two deliveries for your nursery, I find my patrons better pleased with your stock than any that has been sold in the county."—JNO. R. BIDDLE, Northeast, Md., July 16, 1904.

CHERRY, Cerasus

Large, double-flowering; produces a profusion of double white flowers in the early spring.

DOGWOOD

Common. A small-sized native tree of great beauty when in bloom. Floral covering (incorrectly flowers) large, pure white, followed by brilliant scarlet fruit in autumn.

ELM

American, or White. A native tree of large size, with spreading head and graceful, drooping branches. Of all trees, no other perhaps unites in the same degree majesty and beauty, grace and grandeur, as this one does. It flourishes in all parts of the country and deserves to be more generally planted.

HORSE-CHESTNUT

Common White-flowered. A handsomely formed tree, with very attractive flowers; succeeds well in the northern states and in the elevated portions of the southern states, but in many places South its foliage burns under the hot sun.

Red-flowered. A superb tree in foliage and flowers; the foliage is darker green than the white, and the flowers showy red, coming later. Very desirable.

Ohio Buckeye. A native of the western states, forming a large-sized tree; flowers pale yellow.

JUDAS TREE. Red-Bud

A very ornamental tree of small size, with heart-shaped leaves, and is covered with a profusion of delicate pink flowers before the foliage appears.

Japan. Recently introduced from Japan. The flowers are larger than the above species, and of a light rose color. It is entirely hardy and very beautiful.

KENTUCKY COFFEE TREE

A large-growing tree, with rough bark, stiff, blunt shoots and feathery foliage.



Elm, American or White

LABURNUM. Golden Chain

A very ornamental small tree, a native of Europe, with smooth, shining foliage, bearing a profusion of drooping racemes of yellow flowers.

LINDEN

American Basswood. A large native, rapid-growing tree, with large leaves and fragrant flowers; fine for street or lawn planting. Is becoming very popular, and deservedly so.

European. A fine pyramidal tree, more compact in its habit than the above, but does not attain as large a size. A very popular tree.

White-leaved European. A vigorous growing tree; its handsome form, growth and foliage render it worthy to be classed amongst the best of our ornamental trees.

MOUNTAIN ASH

European. A small tree, with shining pinnate leaves and large cymes of white flowers, followed by clusters of bright red fruit.

"It is with great pleasure that I testify to the superior quality of your stock of trees, etc. Those bought of you, through your agent, Capt. J. S. Coates, prove in a most satisfactory manner their rapid-growing qualities and early-bearing habit. No other stock equals them in this county."—GEORGE T. HARRIS, Moody, Virginia, July 29, 1904.

"Your trees give perfect satisfaction."—A. W. ASHBY, Bluemont, Va., November 13, 1903.



Japan Maple.

MAPLE

Silver-leaved. A hardy, rapid-growing native tree, attaining a large size; valuable for producing a quick shade; fine for street and park planting, for which purpose it is planted more largely than any other tree.

Norway. One of the most beautiful and desirable trees known. Foliage broad, deep green, shining; its compact habit and stout and vigorous growth render it one of the most valuable trees for street or lawn planting.

Sugar. A well-known native tree, of stately growth, fine form and foliage; very desirable as an ornamental and shade tree.

Sycamore. A European species of moderate size. Leaves large, dark green.

Schwedler's. This beautiful Maple of recent introduction is attracting considerable attention; it is of the Norman family and of about the same habit of growth; its handsome purplish crimson leaves in May and June, changing to a bronze as they mature, are much admired.

Red, or Scarlet. A native species, of moderate size, producing deep red blossoms, and in autumn the foliage changes to a brilliant scarlet.

JAPAN MAPLES

Mostly dwarf habit, several kinds weeping and cut-leaved, with brightly colored foliage, red, purple, etc. These are indeed remarkable for beauty, and wherever planted give perfect satisfaction.

PLATANUS. Buttonwood

Oriental Sycamore. A tree of the largest size, growing rapidly, very ornamental and entirely hardy.

POPLAR

Carolina, or Cottonwood. A large sized tree, of remarkably rapid growth.

PEACH

The three varieties described below are all very attractive, and their effect is very pleasing when all are grouped together.

Double White-flowering. Flowers pure white and very double.

Double Rose-flowering. Flowers double, pale, rose-colored; resembles small roses; very pretty.

Double Red-flowering. Flowers semi-double, bright red; very fine.

SWEET GUM

A fine ornamental tree, the foliage resembling that of the maple; corky bark; leaves changes to deep crimson in autumn.

TULIP TREE

A magnificent native tree; large, smooth shining leaves; flowers tulip-shaped, greenish yellow; fine for shade; difficult to transplant except when of small size.

TEXAS UMBRELLA TREE

It assumes a dense spreading head resembling a gigantic umbrella, is of unique appearance and a most desirable shade tree. It is not entirely hardy here.

Weeping Trees

BIRCH

Weeping Cut-leaved. A charming tree in the northern states, but does not show so much beauty South, except in very favorable locations. It is of very graceful, drooping habit, silvery white bark, and delicately cut foliage. Trees liable to sun-scald.

DOGWOOD

Weeping. This valuable tree is among the earliest bloomers, and its beautiful white blossoms in spring, and red berries in fall, make it one of the handsomest ornaments for the front yard or lawn that can be planted, while it presents a dense and beautiful green foliage during the entire growing season. No one should fail to secure one of these hardy, truly ornamental trees.

MOUNTAIN ASH

Weeping. (*Sorbus aucuparia pendula*). The branches of this distinct variety are of a straggling, pendent habit; a rapid grower, but is not satisfactory South, and is liable to sun-scald.

MULBERRY

Teas' Weeping. This is one of the most graceful and hardy among the weeping trees, and has only to be known to be appreciated; the foliage is a beautiful glossy green and very abundant, and the tree is a rapid grower. No weeping tree is so well adapted to our southern climate as this, or gives such general satisfaction.

WILLOW

Common Weeping. This is one of the most graceful and beautiful of the

WILLOW, continued

weeping trees; it is of rapid growth, attaining a very large size, showing its great beauty in damp or moist soils, but grows fairly well in any good soil.

Kilmarnock. A variety of the Goat Willow, making a very pretty tree when grafted six or eight feet high, forming a complete umbrella head, the branches and foliage being very dense; unique in form. A very showy tree for planting on the lawn.



Teas' Weeping Mulberry.

"I am glad to say that you sent the finest nursery stock to this county I have ever seen. Far ahead of stock sent here by any other concern. I have as fine fruit in my orchard as ever grew anywhere, and all of my trees came from you."—J. K. P. LAIRD, Bessemer, Ala., July, 1904.

Evergreens

ARBORVITÆ

American. Sometimes called White Cedar. A well-known native species of great value, forming an upright, conical tree of medium size. Especially valuable for screens and hedges.

Chinese Golden. This is the most elegant and charming, and justly becoming the most popular of the Arborvitæ; the beautiful golden tint of its foliage and the compact and regular outline of its habit render it unusually attractive.

Siberian. A well-known popular variety, very dark green in color and compact in growth. The outline is regularly conical, and its hardiness is unquestioned.

Pyramidalis. Upright. A remarkable erect form, dark green, compact and very desirable, and as conspicuous as the Irish Yew.

BAMBOO

Japanese. This is a very attractive ornamental; grows to an immense height. We have a large stock—direct importation from Japan.



Norway Spruce.

FIR

Balsam (Balm of Gilead). A well-known and popular tree; very pretty when young.

English Silver. A noble tree, with spreading horizontal branches; dark, shining green color, holding its color well through the winter; it is rather stiff-looking when young, but makes a splendid tree.

JUNIPER

Irish. A distinct and beautiful variety, of very erect, dense, conical outline, resembling a pillar of green.

PINE

Austrian. From central Europe, growing over 100 feet high. Leaves long, stiff and very dark green. Hardy everywhere, and one of our most valuable conifers for windbreaks, belts, etc.

Scotch. A rapid-growing, very hardy species from the central portion of Europe, with short rigid, light green leaves. Very valuable for screens and masses.

White. An old well-known native tree, of rapid growth, and entirely hardy. Leaves rather long, slender and slightly glaucous. It is an indispensable species.

SPRUCE

Norway. A European species, of very rapid, elegant and lofty growth, and when it attains to the height of 15 or 20 feet the branches assume a graceful, drooping habit. One of the handsomest, as well as the most popular evergreen trees; very hardy. (See cut.)

Colorado Blue. A magnificent variety of the Spruce, of compact growth, with strong, handsome foliage of a blue shade.

Douglas'. Notwithstanding the fact that the form of this species peculiar to the Pacific coast is unreliable here, the Rocky mountain variety has proven hardy and beautiful. Dark green.

Hemlock. One of the hardest and most handsome trees; branches drooping; foliage delicate, retaining its color well through the winter; should be in every collection; it also makes a highly ornamental hedge.

Magnolias

Acuminata (Cucumber Tree). A beautiful pyramidal tree, attaining a height of 70 or 80 feet; growth very rapid and upright; flowers greenish yellow.

Macrophylla (Great-leaved). A tree of medium size; leaves from 2 to 3 feet long; flowers 8 to 10 inches in diameter, pure white, very fragrant.

Tripetala (Umbrella Tree). A small-sized tree, of rapid growth; immense leaves; flowers creamy white, 4 to 6 inches in diameter.

Grandiflora. This magnificent southern evergreen may be called the Queen of the Magnolias. It is really a grand tree, but unfortunately too tender to stand the winters well north of the Potomac, and even the climate along the mountains of Virginia is rather too severe for it to do well; but east of Richmond and south of the James river it flourishes finely. The tree is of rapid and handsome growth, leaves 8 to 10 inches long, which are retained the whole year; flowers large, white and very fragrant.

Virginiana (Sweet Bay). A small tree or shrub, with imperfectly evergreen leaves, smooth above and glaucous-white below. Flowers deliciously fragrant, cup-shaped and pure white.

Yulan. Flowers of fair size, pure white, fragrant, and opening before the leaves.

Kobus. White, slightly tinged with



Magnolia Soulangeana.

pink or reverse; flowers well distributed over the branches.

Soulangeana (Hybrid Magnolia). Closely resembles the *M. Alexandria*, but perhaps rather larger and more distinctly marked purple and white flowers. Very handsome.

Hedge Plants

JAPAN HARDY LEMON

This is the coming hedge plant for defensive as well as ornamental purposes. It is hardy as far north as New Jersey, and, if planted in good soil, an impenetrable hedge can be had three years from planting. Requires but little trimming after the third year. So far it has been free from insect depredations. In early spring when covered with myriads of white flowers, nothing is more attractive, and, while not an evergreen, the vivid green wood makes it appear bright during winter. Plants may be set two feet apart.

PRIVET

California. A vigorous, hardy shrub, of fine habit and foliage, nearly evergreen.

Grows in almost any soil, and is very patient of pruning; makes a desirable ornamental shrub as well as hedge.

One of our most enterprising citizens has planted about thirty miles of California Privet hedge around Richmond, and considers it one of the best plants for this purpose. This hardy shrub is used almost exclusively in the North for hedging purposes.

Amoor River. The most desirable of all broad-leaved evergreens where a tall hedge is desired. Growth very rapid; adapts itself to any soil not too arid or a swamp. If properly treated, a good hedge may be expected in two years after planting. Set plants 12 inches apart in ordinary soil, but in very rich land 18 to 24 inches distance may be given.



Hydrangea paniculata grandiflora. (See opposite page.)

Flowering and Other Shrubs

ALMOND, DWARF

Double Rose-flowering. A beautiful small shrub, producing an abundance of small, double, rose-like flowers, closely set upon the twig before the leaves appear. Very attractive.

White-flowering. Produces beautiful double white flowers in April.

ALTHEA. *Hibiscus Syriacus*

The following varieties constitute a beautiful show when in bloom, and exhibit a contrast surpassed by few of our really hardy plants. They are especially fine for hedges and screens.

Amaranthus. Rich purple; fine.

Bicolor. Double white with red stripes.

Carnea plena. White, tipped with pink.

Comte des Flanders. Bright maroon.

Duchesse de Brabant. Deep crimson.

Elegantissima. Bright pink, prettily striped.

Fleur Blanche. Pure white, single flower; fine.

Jeanne d'Arc. Pure white, very full, and superior to any double white known.

Paeoniflora. Large double pink; very beautiful.

Ranunculaeflora. White, with maroon center.

Sanguinea. Dark crimson.

Violet Claire. Clear violet.

Seedlings. Mixed colors; fine for screens.

ALTHEA, continued

Variiegated-leaved Double Purple-flowered. A conspicuous variety, with the foliage finely marked with light yellow, and producing double purple flowers. One of the finest variegated-leaved shrubs.

Amaranthus. Rich, purple; fine.

CALYCANTHUS

Sweet-Scented Shrub

A well-known native bush, the young wood of which has a strong aromatic odor; foliage luxuriant, and the rare chocolate-colored blossoms are delightfully fragrant; blossoms in May and at intervals during summer.

CRAPE MYRTLE

A well-known and beautiful shrub; very attractive on account of its profusion of crape-like flowers, which appear about midsummer and continue for two months or more. Hardy south of Maryland.

DEUTZIAS

Gracilis (Slender-growing Deutzia). Of small size, light green foliage and delicate, graceful white flowers. Fine for forcing.

Rough-leaved (*D. scabra*). An upright thrifty shrub, bearing a profusion of white flowers in May.

Double-flowering Crenata (pleno). From Japan. Flowers double, white, delicately

DEUTZIA, continued

margined with pink. This is deservedly one of the most popular and desirable flowering shrubs, and no collection can be complete without it.

Double White. Produces a profusion of double, pure white flowers, similar in habit to preceding.

Pride of Rochester. Origin, Rochester, N. Y. Large double white flowers, the back of the petals being tinted with rose; excels most of the old kinds in flavor and vigorous habit. Quite early and very handsome.



Deutzia gracilis. (See preceding page.)

EXOCHORDA

Grandiflora. Japanese origin. A superb shrub, furnishing clouds of bloom in May; the flower is large, pure white, in racemes of five or six, with spoon-shaped petals, which are very narrow and stand apart at the base; the bush is large-growing, attaining sometimes ten feet in height and nearly as broad; perfectly hardy. A grand shrub, indeed.



Lilac.

FRINGE

White. A small native tree or shrub of roundish form, with large, glossy leaves and drooping racemes of pure white flowers having narrow fringe-like petals; blossoms in May or June. Superb lawn tree.

Purple (Smoke Tree, Venetian Sumac, etc.). A very elegant ornamental tree or large shrub, with curious, hair-like flowers of pale, purplish color, that cover the whole plant. Very desirable.

HYDRANGEA

Paniculata. One of the hardiest of its kind; very distinct in flower and foliage; not quite as free a bloomer as *H. grandiflora*, but very pretty and desirable.

Large-panicked (*Hydrangea paniculata grandiflora*). This is one of the finest shrubs of recent introduction, growing 8 to 10 feet high, producing immense pyramidal panicles of white flowers more than a foot long; blooms in August and September; indispensable. (See cut, preceding page.)

LILAC

Common. Very generally known and admired, with its profusion of fragrant blush-purple flowers.

Common White. Flowers produced in slender panicles; pure white and fragrant.

White Persian. Similar to the preceding, except that the flowers are nearly white, being slightly shaded with purple.

JAPAN LILAC

A fine novelty, attaining the size of a tree, with large deep green glossy foliage, and immense clusters of elegant fragrant flowers late in the season. It is undoubtedly one of the best acquisitions of later years.

Ambroise Verschaffelt. Fine large trusses of bright rose color.

Beranger. Purplish lilac panicles of large size.

Coerulea superba. Large trusses of clear blue.

Flora plena. One of the first double varieties, and one of the most deserving; bright lilac.

Gloire de Croncels. Reddish lilac; fine large trusses.

Saugeana. One of the Persian group, with reddish purple bloom.

Mathieu de Bombasle. A handsome double lilac flower and large truss.

President Massait. Large trusses and purplish lilac when fully open.

Prof. Stockhardt. Large panicles of lavender-colored flowers.

Pyramidalis. A charming novelty, with large semi-double flowers; rose-colored.

Renoncule. Short, compact truss of exceedingly beautiful double flowers; pale reddish lilac.

Ville de Troyes. Large fine trusses of rose lilac flowers.

Virginale. Very large panicles of pure white flowers.

JAPAN QUINCE

Produces bright scarlet flowers in great profusion in the early spring; very attractive and hardy; one of the very best hardy shrubs in the catalogue.

White-flowering. A desirable shrub, producing delicate white and bluish flowers in early spring.



Spiraea Van Houttei.

PEONIES, HERBACEOUS

A very showy and most useful class of hardy plants; will flourish in any section. They grow and flower well in almost any soil with very little care, but the flower will be finer and colors brighter if given a deep, rich loam, well manured.

White and Pink.

PLUM

Purple-leaved (*Prunus Pissardii*). One of the very best small trees or shrubs of recent introduction; the foliage is a beautiful red-purple, changing to a deep black-purple; the hot sun has no ill effect on its rich colors; it remains beautiful until frosts come, something unusual in purple-leaved plants; by far the best of its kind; exceedingly hardy and very easy to transplant.

Double-flowered. Of recent introduction from China. A very hardy shrub; flowers semi-double, of a delicate pink, closely set along the branches, forming a compact spike. Very pretty and desirable.

SPIRÆA

Ariaefolia. A profuse bloomer, having large panicles of elegant white flowers.

Billardii. Bright rose-colored flowers; blooms nearly all summer; desirable.

Billardii alba. Very similar to the rose-colored, but with blossoms pure white.

Plum-leaved (Bridal Wreath). A very beautiful variety; flowers pure white, small and very double; blooms very early.

Reevesii. A very pretty sort, producing clusters of white flowers that cover the whole plant.

Van Houttei. One of the most attractive of the newer Spiræas, blooming freely and entirely hardy. Flowers pure white.

SNOWBALL

Common. An old and well-known shrub, bearing large balls of pure white flowers.

Japan (*Iiburnum plicatum*). A rare and exceedingly beautiful species from China. Flowers in large, globular heads; pure white, hanging long on the bush. A very choice and desirable shrub.

SYRINGA. Mock Orange

A rapid grower; flowers large, white and fragrant.

WEIGELA

Rose-colored. An elegant shrub, with beautiful and strong rose-colored flowers; hardy and of easy cultivation. Should be in every collection.

Dwarf Variegated Rose. Of spreading habit; leaves distinctly variegated; stands the sun well.

Roses

Roses are the most beautiful of flowers, and they are among the easiest to raise in perfection. They require plenty of manure and good cultivation. Old and decayed branches, and at least half the previous season's growth, should be cut away early each spring, and a little cutting back after the first blooming will insure more late flowers. The so-called tender Roses must be carefully protected in winter by covering them with leaves and evergreen boughs; and the hardy sorts will be rendered more vigorous and productive of fine flowers if they, too, are similarly protected.

HYBRID

PERPETUAL ROSES

Alfred Colomb. Raised from Jacqueminot. Brilliant carmine-crimson; very large, full, and of fine globular form; extremely fragrant, and in every respect a superb sort; green wood, with occasional pale greenish thorns; foliage large and handsome. One of the most useful of all sorts for general cultivation. Budded and on own roots.

Anne de Diesbach. Carmine, a beautiful shade; very large; a fine garden sort; does not thrive on its own roots.

Augusta Mie. Delicate pink; cupped and vigorous.

American Beauty. A grand Rose for either forcing or outdoor culture. Its very double flowers are of a deep crimson color and very fragrant; it is of full and very perfect form, with the petals finely imbricated; a constant bloomer and strong grower. Very desirable in every way; its rich "June-rose" scent would alone commend it, to say nothing of its many other good qualities.

Caroline de Sansal. Clear, delicate flesh color; fine form; one of the best of its color.

Coquette des Alpes. White, tinged with carmine; very fine; a very free bloomer.

Coquette des Blanches. Pure white; very beautiful. We think this the best pure white Hybrid Perpetual.

General Jacqueminot. Brilliant velvety crimson; large, showy and a fine grower; a magnificent variety.

Giant of Battles. Brilliant crimson; large, very double and sweet; esteemed one of the finest.

Gloire de Margottin. One of the most brilliant red Roses in cultivation; large, full and handsomely formed.



Coquette des Blanches.

Jules Margottin. Bright cherry-red, large and full; a truly beautiful Rose.

La France. Delicate silvery rose; very large and full; an almost constant bloomer; equal in delicacy to a Tea Rose; the most pleasing fragrance of all Roses; only a moderate grower.

La Reine. Brilliant glossy rose; very large, cupped and beautiful; a superb Rose.

Madam Charles Wood. Extra large, full and double; color deep rosy crimson; sometimes brilliant scarlet; an early and continuous bloomer.

Madam Plantier. Pure white; above medium size; full; produced in great abundance early in the season. One of the best hardy white Roses.

HYBRID PERPETUAL ROSES, continued

Magna Charta. This grand Rose is a strong grower, a very free bloomer, and has magnificent foliage; color bright pink, suffused with carmine; very large, full and of excellent form.

Marshall P. Wilder. Raised from General Jacqueminot. It is of vigorous growth, with healthy foliage; flowers large, semi-globular, full, well formed; color beautiful cherry-carmine; very fragrant. In wood, foliage and form of flower it resembles Alfred Colomb, but the seedling excels that famous variety in vigor, hardiness and freedom of bloom. It continues to bloom profusely long after the other Remontants are out of flower. In brief, it may be described as an improved Alfred Colomb, and as good a Rose as has been raised by any one. It is undoubtedly the finest of its color.

Mrs. J. Laing. A beautiful rose color; soft pink; large and of fine form; very fragrant.

Paul Neyron. Deep rose color; splendid foliage and habit, with larger flowers than any other variety; a valuable acquisition.



Crimson Rambler.

Prince Camille de Rohan. Deep velvety crimson; large, moderately full; a splendid Rose.

Victor Verdier. Fine bright rose, shaded with carmine; very hardy and a fine bloomer; a splendid Rose.

Vick's Caprice (Vick). Decidedly distinct, as each satiny pink petal is prettily striped with white and bright carmine. A good grower and free bloomer.

HARDY CLIMBING ROSES

Baltimore Belle. Pale blush, nearly white; double; best white climbing Rose.

Crimson Rambler. A new climbing Rose of unusual attractions; very hardy, having withstood 10 degrees below zero without covering; vigorous in growth, having grown 8 to 10 feet in a season; produces a profusion of blossoms, having been known to produce 300 blossoms on one shoot. The Crimson Rambler is specially adapted for covering trellises, training to side of the house, or can be cut back and grown in a bush form. Extra fine plants of this novel variety.

Climbing Victor Verdier. Another excellent pillar Rose of strong growth, with showy rosy carmine flowers, large, full and abundant.

Greville, or Seven Sisters. Flowers crimson, changing to blush, in large clusters.

Madame Allred Carriere. Extra large, full flowers, very double and sweet; color rich creamy white, faintly tinged with pale yellow; a strong, hardy grower and free bloomer.

Queen of the Prairie. Bright rosy red, frequently striped with white; large, compact and globular.

Reine Marie Henriette. Large, finely formed flowers; very full and double; borne in clusters and Tea-scented; color rich crimson, elegantly shaded. New and fine.

Tennessee Belle. Dark pink; profuse bloomer and strong grower. One of the best climbing Roses for the South.

Yellow Rambler. A new hardy yellow climbing Rose, blooming after the same manner as Crimson Rambler; flowers of medium size, in immense clusters, often thirty-five to forty flowers in a single cluster; very sweet-scented. Color, a clear, decided yellow, a color heretofore unknown in a climbing Rose that was in any way hardy.

"I can say that your trees excel any others that I have handled or seen handled. They are nice size, thrifty and delivered in good condition, while many other trees, I notice, are comparatively dead when delivered. I want trees from no other nursery, as I have proved your trees by actual experience. Success to you."—J. H. SCHLEFFER, Merchant Mt. Storm, W. Va., July 28, 1904.

MOSS ROSES

Comtesse de Murinais. Pure white; large; very desirable; the finest white Moss.

Luxembourg. Deep crimson; fine grower.

Princess Adelaide. A vigorous grower; pale rose, of medium size and good form; good in bud and flower. One of the best.

Salet. Clear rose color; double; a perpetual bloomer.

White. Pure white; produces very few flowers.

TENDER PERPETUAL ROSES

Agrippina. Red, velvety crimson; moderately double; fine in buds; valuable for planting out. One of the best.

Andre Schwartz. Recently introduced and recommended by the European growers as the "True Tea Jacqueminot"; the color is brilliant glowing scarlet, passing to rich crimson; very bright and striking; constant and profuse bloomer; flowers large, full and sweet.

Augustine Guinoiseau (Hybrid Tea). The best recommendation that can be given this magnificent Rose is that it is a pure white La France, having just a tint of blush clouding its broad petals. The buds and flowers are extra large, very full and finely formed; delightfully fragrant.

Bon Silene. Rosy carmine, shaded with salmon; fragrant and very free-flowering. Valuable for the buds.

Bridesmaid. A very valuable new Tea Rose; a sport from the Catherine Mermet. It is a charming, clear bright pink in color, and much superior to its well-known parent. It forces well under glass, and is already very popular with our florists.

Catherine Mermet. Bright flesh color, with the same peculiar luster possessed by La France; large, full and beautiful. One of the finest Teas.

Clothilde Soupert. Medium size; very double and beautifully imbricated like an aster; produced in clusters; pearly white, with rosy lake centers; liable to vary, producing often red and white flowers on the same plant. Valuable to florists for designs, or as a market pot-plant, being a remarkably free and constant bloomer and of easy culture. One of the most valuable Roses of recent introduction.



Etoile de Lyon

Coquette de Lyon. A lovely Tea Rose, exquisite canary-yellow; clear translucent texture and delicious perfume; flowers large; fine form; very full and double.

Devoniensis. Beautiful creamy white and rosy center; large; very full and double; delightfully sweet Tea scent. One of the finest Roses.

Duchess of Albany. A sport from the well-known and popular La France. While it resembles its parent in several respects, it is quite distinct in color, being of a rich, deep, even pink tint, and the shape is more finished; it is equally vigorous, free-blooming and fragrant; one of the most important of recent acquisitions for growing in the open air or for forcing.

Etoile de Lyon. A grand Rose for forcing, of superb form and habit; color rich saffron-yellow, brighter in the center; very large and full, blooming profusely; grows vigorously.

Empress (Kaiserin) Augusta Victoria. An extra fine white variety, faintly blended with cream color; very large, full and double, almost perfect in form, and it continues beautiful even when fully expanded. Its fragrance is a combination of tea and magnolia, and is very delightful and distinct from that of any other variety. Beautiful glossy foliage; a vigorous grower and very free-flowering, blooming at every shoot. We consider it one of our best outdoor kinds.

Gloire de Dijon. Fawn, with salmon; blooms all summer.

TENDER PERPETUAL ROSES. continued

Hermosa. Bright rose; a most constant bloomer; hardy; one of the best.

Isabella Sprunt. Bright, canary-yellow; large, beautiful buds; valuable for cut-flowers; very sweet Tea scent; profuse bloomer.

La France. Raised from seed of a Tea Rose; delicate silvery rose, changing to silvery pink; very large, full, of fine globular form; a most constant bloomer; the sweetest and most useful of all Roses; none can surpass the delicacy of its coloring.

Madame Falcot. Fine apricot-yellow, with beautiful orange buds; most valued for bouquets; Tea-scented; a constant bloomer; medium size and fullness.

Madame Margottin. Very large; perfectly double, elegantly perfumed; color beautiful dark citron-yellow, with bright red center; a strong grower and quite hardy.

Madame Caroline Testout. A beautiful bright yet clear pink Rose, and very much resembles La France, from which it undoubtedly originated. It is of more sturdy habit, however, and exceedingly floriferous, and the individual blooms are often much larger than those of La France. It maintains its beautiful color at all seasons; handsome foliage; stem stout; fragrance very delicate.

Madame Joseph Schwartz. White, beautifully flushed with pink. The plant grows with great vigor, and is extremely free with its flowers, which are of medium size, cupped and borne in clusters.

Marechal Niel. Deep yellow; very large; very full, globular; highly scented. Requires careful treatment. It should be severely pruned. The finest yellow Rose.

Marie Guillot. Color pure snow-white, sometimes faintly tinged with pale yellow; extra large size; full and double; very sweet Tea scent.

Marie Van Houtte. White, slightly tinged with yellow, large and full. In every way a most charming sort.

Manda's Triumph. This grand Rose is of free growth, luxuriant foliage, and produces large clusters of double, pure white flowers, beautifully imbricated and well formed, 2 inches in diameter and sweet-scented.

Meteor. Everblooming Hybrid Tea; a healthy, vigorous grower, free-blooming, and of a rich crimson color.

Niphetos. Pale yellowish white, often snow-white; long, large buds; very beautiful.

Papa Gontier. A popular Tea Rose, very free-blooming; long, pointed buds of a glowing carmine-crimson color. It is delightfully fragrant.

Perle des Jardins. A beautiful straw color, sometimes a deep canary; very large, full and of fine form. A very free bloomer. Steps at once into fame as the finest yellow Rose we have in our collection.



La France



Single Roses.

TENDER PERPETUAL ROSES. continued

Pink Roamer. This is without question a hybrid between the Sweetbrier and *Wichuraiana*, and carries these characteristics in bloom, while the growth, which is very rampant, and the luxuriant foliage partake more of the *Wichuraiana*. The single flowers, which are produced in close heads, are nearly 2 inches in diameter, bright rich pink, with almost a white center, which lighten up the orange-red stamens, producing an effect which, combined with fragrance, makes it one of the most valuable Roses in cultivation.

Safrano. Saffron and apricot. A very free bloomer. One of the oldest and best varieties, especially when used in the bud state.

South Orange Perfection. Blush pink at tips, changing to white; double.

Souvenir de la Malmaison. Pale flesh, with a fawn shade; large, full, beautiful.

The Bride. A magnificent pure white Tea Rose. The flowers are large and very double, on long, stiff stems, and last a long time in a fresh state after being cut. One of the best. Tender.

Triomphe de Luxembourg. Salmon-buff, shaded with deep rose; distinct and fine.

Universal Favorite. This is the most vigorous plant of the set. The long, branching shoots are covered with dense,

bright green foliage. The double flowers are over 2 inches in diameter, and of a beautiful rose color, similar to the Bridesmaid, and deliciously fragrant. A grand variety for any purpose.

William Allen Richardson. A new variety; of strong growth and climbing habit; color rich, coppery yellow, flushed with carmine, large, full and fragrant.

Wichuraiana. A distinct and valuable variety from Japan; it is a low, trailing species, its stems creeping on the earth almost as closely as the ivy. The flowers are produced in the greatest profusion in clusters on the end of every branch, after the June Roses are past from the first week in July throughout the month. They are pure white, 1½ to 2 inches across, with yellow stamens, and have the strong fragrance of the Banksia Rose. It is quite hardy, with the exception of the latest immature growth, which may be cut back to some extent. This variety has proved valuable as a covering for banks, rockeries, etc., and for use in cemeteries.

MICROPHYLLA ROSES

Alba (White). Pure white, strong grower, constant bloomer, small, glossy foliage.

Rubra (Pink). Similar in growth and form to Alba.



Clematis paniculata.

Vines and Creepers

AMPELOPSIS

Veitchii. Recently introduced from Japan; grows rapidly and attaches itself firmly to walls; the leaves are small, turning to brilliant red in the autumn.

CLEMATIS. Virgin's Bower

This is unquestionably one of the handsomest classes of vines for covering arbors, trellises, pillars, etc., that has been introduced. They are slender-branched, rapid growers, with handsome foliage and beautiful flowers, ranging in color from white to deep purple.

Henryi. Large; free grower and bloomer; flowers creamy white; one of the best.

Jackmani (Jackman's). Without a doubt the best yet introduced, and a general favorite; large, velvety, dark violet-purple; strong and hardy.

Mad. Edouard Andre. This is the nearest approach to a bright red Clematis, and has been called the Crimson Jackmani. The plant is a strong, vigorous grower and very free in bloom. Color a distinct crimson-red; a very pleasing shade and entirely distinct from all other varieties.

Paniculata. From Japan. Panicles of small pure white fragrant flowers borne in great profusion. Very desirable and entirely hardy. Blooms in late summer.

HONEYSUCKLE

Hall's New Japan. A strong, vigorous evergreen sort; flowers white, changing to yellow; very fragrant, and is covered with flowers nearly all summer and autumn. The best of all the Honeysuckles.

Japan Evergreen (Woodbine Honeysuckle). A very vigorous grower, with numerous white and yellow fragrant flowers.

Chinese Twining. An old favorite, holding its foliage through the winter; flowers red, yellow and white variegated; very sweet.

IVY

English. A beautiful vine, with dark green leaves that climbs over brick, stone or wooden walls or chimney without any support. A hardy evergreen.

WISTARIA

Chinese. One of the most elegant and rapid-growing of all the climbing plants; attains a very large size, sometimes growing 15 or more feet in a season; has long racemes of pale blue flowers in spring and sometimes in autumn.

White-flowering. Like the preceding, except that the flowers are pure white and single.

Testimonials

"I have handled trees as a business for twenty-four years. I have never seen any trees that I thought better, and but few that I thought as good as yours, and in addition to this I have planted trees by the thousand for myself, and the trees I bought of you have done better than any I ever planted. I would also like to refer to your system of packing—I think it the best I ever saw."—J. L. MILLAN, Fairfax, Va., *July 16, 1904.*

"I wish to compliment you on the size and quality of trees bought of you last spring. Out of 175 trees I find at this date all growing except one apple and one peach. Amnden June Peach trees purchased of your spring of 1903 are bearing this year."—JOHN HOAGLAND, Falling Spring, W. Va., *July 18, 1904.*

"I have been buying trees and shrubs from your agent, Mr. Livesay, and find them all O. K. No one need hesitate to buy your trees."—J. W. BEARD, Falling Spring, West Va., *July 18, 1904.*

"I have been delivering your stock in Union county, Ill. for the last fourteen years, and have come in contact with a great many men who have brought your trees to maturity and are perfectly satisfied, as the trees have proven true to name and I have yet to find a man who is not satisfied since his trees commenced to bear. Your stock is always fine-looking on arrival and thrifty in growth, and always pleases the purchasers, who remark when they first look at their trees: 'Well, they are the finest-looking trees I ever saw.' There are hundreds of men and women in this county who are ready to recommend your nursery stock."—J. W. ROY, Anna, Ill.

"Will say that all the nursery stock I have sold for you has given entire satisfaction. I am selling many of the customers again."—JOHN WALLIS, Fort Payne, Ala., *July 17, 1904.*

"I will just say in behalf of your nurseries and myself: I am a fruit-grower and am selling nursery stock—have made it a business for the last fifteen years—but have never had any stock to give my customers and myself so much satisfaction and pleasure as your trees have—both in quality of stock sent out and fruit produced."—J. R. CRIST, Lexington, Va., *July 25, 1904.*

"I have now been handling your trees for fifteen years and during that time have come in contact with many other nursery agents delivering their stock at the same time, and find yours superior, both in average size and the fresh, healthy condition in which they arrive—because of the better care exercised in packing—to any I have yet seen."—J. W. KRICHBaum, Birmingham, Ala., *July 18, 1904.*

"I have handled your trees for a number of years and consider them the best on the market. They have given universal satisfaction in this section."—L. N. FOSTER, Pendleton, Va.

"My trees have borne fruit—Red June, Early Harvest, Buckingham and Winesap. The apples were the largest and best colored I ever saw, and the trees show that they are grafted on whole roots. The fruit was just what I bought."—J. N. MANGRUM, Gadsden, Tenn., *March 25, 1893.*

"The trees received from you for delivery were as fine as any nursery sends out—no question about that—and the packing extremely good, the roots being splendidly taken care of and perfectly mossed."—F. R. JOHNSTON, Plymouth, N. C.

"I take pleasure in saying the fruit trees I bought of you have been very fine. It has been rare for me to lose any. I have planted alongside of those bought of you trees from other nurseries. Yours are by long odds the best."—J. M. LEAKE, Ashland, Va.

"Of your stock compared with others, I will say I made two deliveries this fall and assisted in another for you, and think I have had a fine opportunity of comparing yours with other nursery stock in and out of this state, and I find your stock to be far superior to any I have seen. All customers say your trees are far ahead of those bought from other nurseries. You pack your trees in such a way that they are as nice and fresh when the box is opened as when dug. I also find where they have borne that they are true to name."—B. I. BICKERS, Stanardsville, Va.

"The trees were exceptionally fine and healthy and are all growing very well."—JOSEPH M. BROWN, Atlanta, Ga.

Index

	PAGE		PAGE		PAGE
Arborvitæ	52	Fringe	55	Poplar	50
Almonds	45, 54	Fruit Department	9-44	Peaches	23-28, 50
Althea	54	Fungicide Formulas	3d cov.	Pears	18-22
Ampelopsis	62	Golden Chain	49	Pecan	46
Asparagus	46	Gooseberries	40	Peonies	56
Apples	9-17	Grapes	36-38	Pie-plant	46
Apricots	34	Hedge Plants	53	Pine	52
Bamboo	52	Hibiscus	54	Platanus	50
Beech	48	Honeysuckle	62	Plums	29-31, 56
Birch	51	Horse-chestnut	49	Privet	53
Blackberries	42	Horse Radish	46	Quinces	34
Butternuts	45	Hydrangea	55	Raspberries	40, 41
Buttonwood	50	Ivy	62	Red-Bud	49
Calycanthus	54	Japanese Persimmon	35	Rhubarb	46
Catalpa	48	Japan Hardy Lemon	53	Roses	57-61
Cerasus	49	Japan Lilac	56	Shellbark	46
Cherries	32, 33	Japan Maples	50	Snowball	56
Clematis	62	Japan Quince	56	Spirca	56
Cherry	49	Judas Tree	49	Spruce	52
Chestnuts	45	Juniper	52	Strawberries	43, 44
Crab Apples	17	Kentucky Coffee Tree	49	Sweet Gum	50
Crape Myrtle	54	Laburnum	49	Sweet-scented Shrub	54
Currants	39	Lilac	55	Syringa	56
Deciduous Trees	48	Linden	49	Testimonial	63
Deutzias	54, 55	Magnolias	53	Texas Umbrella Tree	50
Dogwood	49, 51	Maple	50	Tulip Tree	50
Distance for Planting	8	Mock Orange	56	Vines and Creepers	62
Elm	49	Mountain Ash	49, 51	Virgin's Bower	62
English Filbert	45	Mulberries	35, 51	Walnuts	45
Esculent Roots	46	Nectarines	34	Weeping Trees	51
Evergreens	52	Number of Trees on an	8	Weigela	56
Exochorda	55	Acre	8	Willow	51
Figs	44	Nut-bearing Trees	45, 46	Wistaria	62
Fir	52	Ornamental Department	47		



Fungicide Formulas

For Rots, Blights, Mildews and other Fungous Diseases

BORDEAUX MIXTURE

Copper sulphate (blue vitriol)	6 lbs.
Quick or stone lime	4 lbs.
Water	45 to 50 gals.

Dissolve the copper sulphate in an earthen or wooden vessel with three gallons of hot water ; or, preferably, put it in a coarse sack, as burlap or cheese-cloth, and hang this in 4 to 6 gallons of water near the surface. When dissolved, pour into the spraying barrel, and fill the barrel about half full of water. Slake the lime, dilute it to 10 to 15 gallons, and pour this milk of lime into the barrel through a wire strainer. Do not mix the copper sulphate and lime when less dilute than this, as the resulting Bordeaux is likely to be lumpy, will settle quickly, and is more liable to burn the foliage. Add water to fill the barrel, and stir the mixture well for a few minutes. Agitate frequently while it is being applied.

If spraying peaches or Japan plums, use two pounds of copper sulphate instead of six, and add an excess of lime. Bordeaux will adhere better to such smooth-surface plants as cabbage and cauliflower if about one pound of hard soap dissolved in hot water is added. The mixture itself should always be made fresh for each application, but a stock solution of lime and copper sulphate may be kept separately, and will be good economy when the spraying operations are extensive.

A stock solution of copper sulphate sufficient for a day's spraying in most cases may be made by dissolving 36 pounds of blue vitriol in 36 gallons of water. For each barrel of Bordeaux use two to six gallons of this solution, according to the plants to be sprayed. Keep this stock solution tightly covered to prevent evaporation. In the same way 36 pounds of quick lime may be slaked in as many gallons of water, and used as the copper solution ; or it may be slaked with just enough water to make a putty, which will keep indefinitely if covered with water, and is to be used with the ferrocyanide test. If the lime in the Bordeaux mixture is deficient, a drop of a saturated solution of ferrocyanide of potassium added to the mixture will turn brown. Add lime till the drop remains colorless and the mixture is ready to use.

LIME - SULPHUR - SALT

Lime	15 lbs.
Sulphur	15 lbs.
Salt	15 lbs.
Water to make	50 gals.

Boil two hours with a small quantity of water, then dilute to 50 gallons with boiling water. Do not let mixture become cold ; spray while yet warm. For winter or early spring use.

All state entomologists recommend lime, sulphur and salt treatment for San José Scale. Very satisfactory results have been obtained by using this formula.

A. B. HOOD & CO.

Virginia Nurseries

RICHMOND  VIRGINIA